

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH)

NGL NORDIC A/S

NORDICARE OVEN CLEANER - EN_713

Version 4.1 (26/01/2018) - Page 1/9

SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2015/830)

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name: NORDICARE OVEN CLEANER

Product code: EN_713.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product for cleaning of conventionel ovens, baking trays, grills etc.

1.3. Details of the supplier of the safety data sheet

Registered company name: NGL NORDIC A/S. Address: Industriskellet 10.3450.lshøj.Denmark. Telephone: +4548176970. Fax: +4548174970.

nordic@ngl-group.com

1.4. Emergency telephone number:.

Association/Organisation: .

Other emergency numbers

+45 4817 6970: Monday to Thursday 08:00-16:00; Friday 08:00-15:30

SECTION 2 : HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

2.2. Label elements

Detergent mixture (see section 15).

In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling:

EUH210 Safety data sheet available on request.

Precautionary statements - General :

P102 Keep out of reach of children.

2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Composition:

<u>cempeanion i</u>			
Identification	(EC) 1272/2008	Note	%
INDEX: 0181	GHS07		2.5 <= x % < 10
CAS: 584-08-7	Wng		
EC: 209-529-3	Skin Irrit. 2, H315		
REACH: 01-2119532646-36-xxxx	Eye Irrit. 2, H319		
	STOT SE 3, H335		
POTASSIUM CARBONATE			

INDEX: 0293			$0 \le x \% < 2.5$
CAS: 68002-96-0	Aquatic Chronic 3, H412		
EC: 614-209-5			
ALCOHOLS, C14-18, ETHOXYLATED			
PROPOXYLATED			
INDEX: 0009	GHS05		$0 \le x \% < 2.5$
CAS: 68515-73-1	Dgr		
EC: 500-220-1	Eye Dam. 1, H318		
REACH: 01-2119488530-36			
D-GLUCOPYRANOSE, OLIGOMERS, DECYL			
OCTYL GLYCOSIDES			
INDEX: 0170	GHS07		$0 \le x \% < 2.5$
CAS: 97659-50-2	Wng		
EC: 307-455-7	Eye Irrit. 2, H319		
ANNINES ALSO SO ALICVITRIMETLINI ENERI			
AMINES, N-C8-22-ALKYLTRIMETHYLENEDI-,			
ACRYLATED, SODIUM SALTS	011007 011000	[4]	00/ 0.5
INDEX: 603_117_00_0	GHS07, GHS02	[1]	0 <= x % < 2.5
CAS: 67-63-0	Dgr		
EC: 200-661-7	Flam. Liq. 2, H225		
REACH: 01-2119457558-25-XXXX	Eye Irrit. 2, H319		
DDODAN O OL	STOT SE 3, H336		
PROPAN-2-OL			

(Full text of H-phrases: see section 16)

Information on ingredients:

For Index 0009; CAS: 68515-73-1: Specific Concentration Limit: 0<=x%< 10 not classified

[1] Substance for which maximum workplace exposure limits are available.

SECTION 4: FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. Description of first aid measures

In the event of exposure by inhalation:

Move person into frsh air and observe. Contact a physician in serious cases.

In the event of splashes or contact with eyes :

Remove contact-lenses.

Flush eyes with plenty of water (20-30°C) and continue until irritation stops. Make sure you flush under the upper and lower eyelids. Contact a physician, if pain persists.

In the event of splashes or contact with skin:

Wash skin with soap and water. Remove and wash clothing after contact.

In the event of swallowing:

Seek medical attention, showing the label.

Give the person 1-2 glasse of milk or water to drink, and keep the person under surveillance. Do not give drink to an unconscious person. If the person feels unwell: Seek medical advice immediately and show this safety data sheet or label of the product.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

Information for the doctor:

Bring this safety data sheet.

SECTION 5: FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

5.3. Advice for firefighters

Avoid breathing fumes/vapours. Wear self-contained breathing apparatus, gloves, safety spectacles and protective clothes.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

Avoid direct contact with spilled product. Use the same personal protection as mentioned in section 8 on'Exposure controls/personal protection.'

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

See section 13 on "Disposal" with regard to the handling of waste. See section 8 on 'Exposure controls/personal protection' for protective measures.

SECTION 7: HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

7.1. Precautions for safe handling

Always wash hands after handling.

Fire prevention:

Prevent access by unauthorised personnel.

Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

No data available.

<u>Storage</u>

Keep out of reach of children.

Store between 5° and 40°C.

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

This product should only be used for applications described in Section 1.2.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits:

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010):

CAS	TWA:	STEL:	Ceiling :	Definition :	Criteria :
67-63-0	200 ppm	400 ppm		A4; BEI	

Germany - AGW (BAuA - TRGS 900, 29/01/2018) :

CAS	VME :	VME :	Excess	Notes
67-63-0		200 ppm		2(II)
		500 mg/m ³		

- Denmark (2008)

Stof	TWA	VSTEL	Loftvaerdi	Anm
67-63-0	200 ppm			
	490 mg/m ³			

- France (INRS - ED984 :2016) :

CAS	VME-ppm:	VME-mg/m3:	VLE-ppm:	VLE-mg/m3:	Notes :	TMP No:
67-63-0	-	-	400	980	-	84

⁻ UK / WEL (Workplace exposure limits, EH40/2005, 2011) :

CAS	TWA:	STEL:	Ceiling :	Definition :	Criteria :
67-63-0	400 ppm	500 ppm			
	999 mg/m ³	1250 mg/m ³			

Derived no effect level (DNEL) or derived minimum effect level (DMEL):

PROPAN-2-OL (CAS: 67-63-0)

Final use: Workers.

Exposure method: Dermal contact.

Potential health effects: Long term systemic effects.

DNEL: 888 mg/kg body weight/day

Exposure method: Inhalation.

Potential health effects: Long term systemic effects. DNEL: 500 mg of substance/m3

<u>Final use:</u> <u>Consumers.</u>

Exposure method: Ingestion.

Potential health effects:

DNEL:

Long term systemic effects.

26 mg/kg body weight/day

Exposure method: Dermal contact.

Potential health effects:

DNEL:

Long term systemic effects.

319 mg/kg body weight/day

Exposure method: Inhalation.

Potential health effects: Long term systemic effects. DNEL: 89 mg of substance/m3

POTASSIUM CARBONATE (CAS: 584-08-7)

<u>Final use:</u> <u>Workers.</u>

Exposure method: Ingestion.

Potential health effects: Long term local effects.

DNEL: 10 mg/kg body weight/day

Final use: Consumers.

Exposure method: Ingestion.

Potential health effects:

DNEL:

Long term local effects.

10 mg/kg body weight/day

Predicted no effect concentration (PNEC):

PROPAN-2-OL (CAS: 67-63-0)

Environmental compartment: Soil.
PNEC: 28 mg/kg

Environmental compartment: Fresh water. PNEC: 140.9 mg/l

Environmental compartment: Sea water. PNEC: 140.9 mg/l

Environmental compartment: Intermittent waste water.

PNEC : 140.9 mg/l

Environmental compartment: Fresh water sediment.

PNEC: 552 mg/kg

Environmental compartment: Marine sediment. PNEC : 552 mg/kg

Environmental compartment: Waste water treatment plant.

PNEC : 2251 mg/l

8.2. Exposure controls

Compliance with the stated exposure limits values should be checked on a regular basis.

Appropriate engineering controls

Airborne gas and dust concentrations must be kept as low as possible and below the threshold values (see above). If necessary, use local exhaust ventilation if the normal air flow in the room is not sufficient. Ensure visible display panels of eye wash and safety shower.

NGL NORDIC A/S

Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

- Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Type of gloves recommended:

- PVC (polyvinyl chloride)
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))

Recommended properties:

- Impervious gloves in accordance with standard EN374

- Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

General information:

Physical state: Fluid liquid.

Important health, safety and environmental information

pH: 11.00 0.3.

Slightly basic.

Boiling point/boiling range:

Flash point interval:

Vapour pressure (50°C):

Density:

Not specified.

Not relevant.

Not relevant.

1,06

Water solubility:

Viscosity:

Melting point/melting range:

Self-ignition temperature:

Decomposition point/decomposition range:

Decomposition point/decomposition range:

Dilutable.

>>22,5mm²/s

Not specified.

9.2. Other information

VOC (g/l): 10.71

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

Avoid:

- frost

Contact with painted and varnised surfaces, as they will decompose in contact with product.

10.5. Incompatible materials

Keep away from :

- strong acids
- strong oxidising agents
- strong bases

10.6. Hazardous decomposition products

The thermal decomposition may release/form :

- carbon monoxide (CO)
- carbon dioxide (CO2)

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

No data available.

11.1.1. Substances

Acute toxicity:

PROPAN-2-OL (CAS: 67-63-0)

Oral route : LD50 > 5000 mg/kg

Species: Rat

Dermal route: LD50 > 5000 mg/kg

Species : Rabbit

Inhalation route (n/a): LC50 > 10000 mg/l

Species: Rat

AMINES, N-C8-22-ALKYLTRIMETHYLENEDI-, ACRYLATED, SODIUM SALTS (CAS: 97659-50-2)

Oral route : LD50 > 5000 mg/kg

Species : Rat

D-GLUCOPYRANOSE, OLIGOMERS, DECYL OCTYL GLYCOSIDES (CAS: 68515-73-1)

Oral route : LD50 > 5000 mg/kg

Species: Rat

Dermal route: LD50 > 2000 mg/kg

Species: Rat

ALCOHOLS, C14-18, ETHOXYLATED PROPOXYLATED (CAS: 68002-96-0)

Oral route: LD50 > 2000 mg/kg

Species: Cat

POTASSIUM CARBONATE (CAS: 584-08-7)

Oral route : LD50 > 2000 mg/kg

Species: Rat

OECD Guideline 401 (Acute Oral Toxicity)

Dermal route : LD50 > 2000 mg/kg

Species : Rat

EPA OPP 81-2 (Acute Dermal Toxicity)

Inhalation route (n/a): LC50 > 4.96 mg/l

Species : Rat

EPA OPP 81-3 (Acute inhalation toxicity)

Skin corrosion/skin irritation :

ALCOHOLS, C14-18, ETHOXYLATED PROPOXYLATED (CAS: 68002-96-0)

OECD Guideline 404 (Acute Dermal Irritation / Corrosion)

Germ cell mutagenicity:

POTASSIUM CARBONATE (CAS: 584-08-7)

No mutagenic effect.

Mutagenesis (in vivo): Negative.

Carcinogenicity:

POTASSIUM CARBONATE (CAS: 584-08-7)

Carcinogenicity Test: Negative.

No carcinogenic effect.

Reproductive toxicant:

POTASSIUM CARBONATE (CAS: 584-08-7)

No toxic effect for reproduction

11.1.2. Mixture

No toxicological data available for the mixture.

Monograph(s) from the IARC (International Agency for Research on Cancer):

CAS 67-63-0: IARC Group 3: The agent is not classifiable as to its carcinogenicity to humans.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

12.1.1. Substances

ALCOHOLS, C14-18, ETHOXYLATED PROPOXYLATED (CAS: 68002-96-0)

Crustacean toxicity: 10 < EC50 <= 100 mg/l

Species: Daphnia magna

Duration of exposure: 48 h

OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)

Aquatic plant toxicity : 10 < ECr50 <= 100 mg/l

Duration of exposure: 72 h

PROPAN-2-OL (CAS: 67-63-0)

Fish toxicity: LC50 > 100 mg/l

Species : Leuciscus idus Duration of exposure : 96 h

Crustacean toxicity: EC50 > 100 mg/l

Species : Daphnia magna Duration of exposure : 48 h

Algae toxicity: ECr50 > 100 mg/l

Species: Scenedesmus subspicatus

Duration of exposure: 72 h

AMINES, N-C8-22-ALKYLTRIMETHYLENEDI-, ACRYLATED, SODIUM SALTS (CAS: 97659-50-2)

Fish toxicity: LC50 = 4 mg/l

Species : Oncorhynchus mykiss Duration of exposure : 96 h

Crustacean toxicity: EC50 = 1.6 mg/l

Species : Daphnia magna Duration of exposure : 48 h

D-GLUCOPYRANOSE, OLIGOMERS, DECYL OCTYL GLYCOSIDES (CAS: 68515-73-1)

Fish toxicity: LC50 > 100 mg/l

NOEC > 1 mg/l

Crustacean toxicity: EC50 > 100 mg/l

Species : Daphnia sp. Duration of exposure : 48 h

NOEC > 1 mg/l

Algae toxicity: 10 < ECr50 <= 100 mg/l

POTASSIUM CARBONATE (CAS: 584-08-7)

Fish toxicity : LC50 = 68 mg/l

Species : Oncorhynchus mykiss Duration of exposure : 96 h

Crustacean toxicity: EC50 = 200 mg/l

Species : Daphnia pulex Duration of exposure : 48 h

12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

12.2. Persistence and degradability

12.2.1. Substances

PROPAN-2-OL (CAS: 67-63-0)

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly.

AMINES, N-C8-22-ALKYLTRIMETHYLENEDI-, ACRYLATED, SODIUM SALTS (CAS: 97659-50-2)

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly.

D-GLUCOPYRANOSE, OLIGOMERS, DECYL OCTYL GLYCOSIDES (CAS: 68515-73-1)

Biodegradability : no degradability data is available, the substance is considered as not degrading

quickly.

ALCOHOLS, C14-18, ETHOXYLATED PROPOXYLATED (CAS: 68002-96-0)

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly.

POTASSIUM CARBONATE (CAS: 584-08-7)

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly.

12.3. Bioaccumulative potential

12.3.1. Substances

PROPAN-2-OL (CAS: 67-63-0)

Octanol/water partition coefficient : log Koe = 0.05

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Other adverse effects

No data available.

SECTION 13: DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

Codes of wastes (Decision 2014/955/EC, Directive 2008/98/EEC on hazardous waste) :

20 01 30 detergents other than those mentioned in 20 01 29

SECTION 14: TRANSPORT INFORMATION

Exempt from transport classification and labelling.

14.1. UN number

-

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

14.5. Environmental hazards

-

14.6. Special precautions for user

-

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2016/1179. (ATP 9)

Container information:

No data available.

- Particular provisions :

No data available.

- Labelling for detergents (EC Regulation No. 648/2004,907/2006):

- 5 % or over but less than 15 % : anionic surfactants

less than 5 % : amphoteric surfactantsless than 5 % : nonionic surfactants

- perfumes

15.2. Chemical safety assessment

No data available.

SECTION 16: OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Wording of the phrases mentioned in section 3:

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
H336 May cause drowsiness or dizziness.

H412 Harmful to aquatic life with long lasting effects.

Abbreviations:

DNEL: Derived No-Effect Level

PNEC: Predicted No-Effect Concentration

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

PBT: Persistent, bioaccumulable and toxic. vPvB: Very persistent, very bioaccumulable. SVHC: Substances of very high concern.