

SAFETY DATA SHEET 100% Pure Essence Concentrated laundy perfume FIORI DI TALCO

Issued on 11/28/2017 - Rel. # 1 on 11/28/2017

Pag. 1 / 14

In conformity to Regulation (EU) 2015/830

SECTION1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product code : LPL1003F 35602037 Product line: FIORI DI TALCO

1.2. Relevant identified uses of the substance or mixture and uses advised against

Laundry scent.

Sectors of use: Private households (= general public = consumers)[SU21], Professional use[SU22] Uses advised against: Do not use for purposes other than those listed

1.3. Details of the supplier of the safety data sheet

ITALSCENT S.r.l. Sede Legale: Via Verdi, 15 - 46019 Viadana (Mn) - Italy Sede Operativa: Via P. V. Marone, 8 - 46010 Marcaria (Mn) - Italy Tel. +39 0376 924067 - Fax +39 0376 97331 C.F. e P. Iva 01171160110 Web: www.italscent.com E-Mail : info@italscent.com

1.4. Emergency telephone number

CENTRI ANTIVELENO ITALIANI: Napoli (CAV - A.O.R.N. Cardarelli): 081-5453333/747287 Pordenone (Az. Osp. S.M. degli Angeli): 0434-3991-Trieste (Ist. per l'Infanza "Burlo Garofalo"): 040-3785373 Roma (CAV - Policlinico ""A.Gemelli"" - Univ. Cattolica S.Cuore"): 06-3054343 Roma (CAV - Ist. di Anestesiologia e Rianimazione Univ. degli Studi di Roma ""La Sapienza"""): 06-490663 Roma (Osp. Pediatrico "Bambino Gesù" - DEA - U.O. di Anestesia e Rianimazione): 06-68592763 Genova (Osp. San Martino): 010-352808 Genova (Osp. pediatrico"Ist. Giannina.Gaslini" Servizio Prevenzione): 010-5636245 Pavia (CAV - Univ. degli Studi di Pavia, IRCCS Fondazione Maugeri): 0382-24444 (Urgenze) 0382-26261 Bergamo (CAV - Osp. Riuniti): clintox@Osp.riuniti.bergamo.it Ancona (INRCA -Istit.ricov. e cura a carattere scient.): 071-8001 Torino (CAV c/o Az. Sanitaria Ospedaliera S.Giovanni Battista Osp. "Molinette"): 011-6637637 Lecce (Osp. V. Fazzi): 0832-351105 Palermo (Centro di Rif.Reg.Tossic.Clinica-UO Anest.e Rianim.Osp.Buccheri La Ferla, Fatebenefratelli): 091-479499 Catania (Rianimaz."Antonella Caruso"-Osp.Garibaldi-Dip.di Emergenza): 095-7594032 - 800410989 N.verde Firenze (CAV c/o U.O. Tossicologia Az.OspedalieraCareggi): 055-7947819

IPCS: http://www.who.int/gho/phe/chemical_safety/poisons_centres/en/index.html

Tel. +39 0376 924067 (Orari d'ufficio)

SECTION2. Hazards identification

2.1. Classification of the substance or mixture

2.1.1 Classification according to Regulation (EC) No 1272/2008:

Pictograms: GHS07, GHS09

Hazard Class and Category Code(s): Skin Sens. 1, Eye Irrit. 2, Aquatic Chronic 2

Hazard statement Code(s):



Issued on 11/28/2017 - Rel. # 1 on 11/28/2017

Pag. 2 / 14

In conformity to Regulation (EU) 2015/830

H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

H411 - Toxic to aquatic life with long lasting effects.

If brought into contact with eyes, the product, causes significant irritations which may last for more than 24 hours. The product, if brought into contact with skin can cause skin sensitization. The product is dangerous to the environment as it is toxic to aquatic life with long lasting effects

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008:

Pictogram, Signal Word Code(s): GHS07, GHS09 - Warning

Hazard statement Code(s): H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation.

H411 - Toxic to aquatic life with long lasting effects.

Supplemental Hazard statement Code(s): not applicable

Precautionary statements: General P101 - If medical advice is needed, have product container or label at hand. P102 - Keep out of reach of children. Prevention P273 - Avoid release to the environment. P280 - Wear protective gloves/protective clothing/eye protection/face protection. Response

P302+P352 - IF ON SKIN: Wash with plenty of water.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 - If eye irritation persists: Get medical advice/attention.

Contains:

HYDROXYMETHYL PENTYLCYCLOHEXEN CARBOXY ALDEHYDE, HEXYL CINNAMAL, BENZYL SALICYLATE, ALPHA ISOMETHYL IONONE, OCTAHYDRO TETRAMETHYL ACETONAPHTONE, CYCLOPENTADECANOLIDE, LINALOOL, COUMARIN, 1-(1,2,3,4,6,7,8,8a-OCTAHYDRO-2,3,8,8-TETRAMETHYL-2-NAPHTHYL)ETHAN-1-ONE, 1-(1,2,3,4,5,6,7,8-OCTAHYDRO-2,3,8,8-TETRAMETHYL-2-NAPHTHYL)ETHAN-1-ONE, CITRONELLOL, LIMONENE

Content of VOC ready to use condition: 1,84 %

2.3. Other hazards

The substance / mixture NOT contains substances PBT/vPvB according to Regulation (EC) No 1907/2006, Annex XIII No information on other hazards

SECTION3. Composition/information on ingredients

3.1 Substances

Irrilevant







PROFUMO PER BUCATO FIOR DI TALCO WASH

Issued on 11/28/2017 - Rel. # 1 on 11/28/2017

Pag. 3 / 14

In conformity to Regulation (EU) 2015/830

3.2 Mixtures

Refer to paragraph 16 for full text of hazard statements

Note C - Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers.

| Substance | Concentration | Classification | Identificativi |
|--|---------------|---|--|
| 1,3,4,6,7,8-HEXAHYDRO-4,6,6,7,8,8-H EXAMETHYLINDENO[5,6-C]PYRAN | > 1 <= 5% | Aquatic Acute 1, H400; Aquatic Chronic 1, H410 | CE 603-212-00-7 CAS 1222-05-5 EINECS 214-946-9 REACH 01-2119488227-29 |
| HYDROXYMETHYL PENTYLCYCLOHEXEN CARBOXY ALDEHYDE | > 1 <= 5% | Skin Sens. 1B, H317 | CE CAS 31906-04-4 EINECS 250-863-4 REACH 01-2119971808-21 |
| HEXYL CINNAMAL | > 1 <= 5% | Skin Sens. 1B, H317; Aquatic Acute 1, H400; Aquatic Chronic 1, H410 | CE CAS 101-86-0 EINECS 202-983-3 REACH 01-2119533092-50 |
| 2-ETHYL-4-(2,2,3-TRIMETHYL-3-CYC LOPENTEN-1-YL)-2-BUTEN-1-OL | > 1 <= 5% | Eye Irrit. 2, H319; Aquatic Chronic 2, H411 | CE CAS 28219-61-6 EINECS 248-908-8 REACH 01-2119529224-45 |
| BENZYL SALICYLATE | > 1 <= 5% | Skin Sens. 1, H317; Eye Irrit. 2, H319; Aquatic Chronic 3, H412 | CE CAS 118-58-1 EINECS 204-262-9 REACH 01-2119969442-31 |
| 4-HYDROXY-3-METHOXYBENZALDE HYDE | > 1 <= 5% | Eye Irrit. 2, H319 | CE CAS 121-33-5 EINECS 204-465-2 REACH 01-2119516040-60 |
| BENZYL ACETATE | > 1 <= 5% | Aquatic Chronic 3, H412 | CE CAS 140-11-4 EINECS 201-265-7 REACH 01-2119638272-42 |
| CYCLOPENTADECANOLIDE | > 1 <= 5% | Skin Sens. 1B, H317; Aquatic Chronic 2, H411 | CE CAS 106-02-5 EINECS 203-354-6 REACH 01-2119987323-31 |
| ALPHA ISOMETHYL IONONE | > 1 <= 5% | Skin Irrit. 2, H315; Skin Sens. 1B, H317; Eye Irrit. 2, H319; Aquatic Chronic 2, H411 | CE CAS 127-51-5 EINECS 204-846-3 REACH 01-2119971571-34 |
| OCTAHYDRO TETRAMETHYL ACETONAPHTONE | > 1 <= 5% | Skin Irrit. 2, H315; Skin Sens. 1B, H317; Aquatic Chronic 1, H410 | CE CAS 54464-57-2 EINECS 259-174-3 REACH 01-21194899-04 |
| LINALOOL | > 1 <= 5% | Skin Irrit. 2, H315; Skin Sens. 1B, H317; Eye Irrit. 2, H319 | CE CAS 78-70-6 EINECS 201-134-4 REACH 01-2119474016-42 |
| COUMARIN | > 0,1 <= 1% | Acute Tox. 3, H301; Acute Tox. 3, H311; Skin Sens. 1B, H317; Acute Tox. 3, H331; Aquatic Chronic 2, H411 | CE CAS 91-64-5 EINECS 202-086-7 REACH 01-2119943756-26 |
| CIS 3 HEXENYL SALICYLATE | > 0,1 <= 1% | Aquatic Acute 1, H400; Aquatic Chronic 1, H410 | CE CAS 65405-77-8 EINECS 265-745-8 REACH 01-2119987320-37 |



PROFUMO PER BUCATO FIOR DI TALCO WASH

Issued on 11/28/2017 - Rel. # 1 on 11/28/2017

Pag. 4 / 14

In conformity to Regulation (EU) 2015/830

| Substance | Concentration | Classification | Identificativi |
|--|---------------|---|--|
| 1-(1,2,3,4,6,7,8,8a-OCTAHYDRO-2,3,8 ,8-TETRAMETHYL-2-NAPHTHYL)ETH AN-1-ONE | | Skin Irrit. 2, H315; Skin Sens. 1B, H317; Aquatic Chronic 1, H410 | CE CAS 68155-67-9 EINECS 268-979-9 REACH |
| 1-(1,2,3,4,5,6,7,8-OCTAHYDRO-2,3,8, 8-TETRAMETHYL-2-NAPHTHYL)ETH AN-1-ONE | > 0,1 <= 1% | Skin Irrit. 2, H315; Skin Sens. 1B, H317; Aquatic Chronic 1, H410 | CE CAS 68155-66-8 EINECS 268-978-3 REACH |
| CITRONELLOL | > 0,1 <= 1% | Skin Irrit. 2, H315; Skin Sens. 1B, H317; Eye Irrit. 2, H319 | CE CAS 106-22-9 EINECS 203-375-0 REACH 01-2119453995-23 |
| LIMONENE Note: C | > 0,1 <= 1% | Flam. Liq. 3, H226; Skin Irrit. 2, H315; Skin Sens. 1B, H317; Aquatic Acute 1, H400; Aquatic Chronic 1, H410 | CE 601-029-00-7 CAS 5989-27-5 EINECS 227-813-5 REACH 01-2119529223-47 |

SECTION4. First aid measures

4.1. Description of first aid measures

Inhalation:

Air the area. Move immediately the contaminated patient from the area and keep him at rest in a well ventilated area. If you feel unwell seek medical advice.

Direct contact with skin (of the pure product).:

Take contaminated clothing Immediately off.

Wash immediately with plenty of running water and possibly with soap, the areas of the body that have, or are only suspected to have, come in contact with the product.

In case of contact with skin, wash immediately with water.

Direct contact with eyes (of the pure product).:

Wash immediately and thoroughly with running water, keeping eyelids open for at least 10 minutes, then protect your eyes with a dry sterile gauze. Seek medical advice immediately Do not use eye drops or ointments of any kind before the examination or advice from an oculist.

Ingestion:

Rinse mouth with water of the subject. Consult a physician.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

If medical advice is needed, have product container or label at hand.

SECTION5. Firefighting measures

5.1. Extinguishing media

Advised extinguishing agents: Water spray, CO2, foam, dry chemical, depending on the materials involved in the fire.

Extinguishing means to avoid: Water jets. Use water jets only to cool the surfaces of the containers exposed to fire.



PROFUMO PER BUCATO FIOR DI TALCO WASH

Issued on 11/28/2017 - Rel. # 1 on 11/28/2017

Pag. 5 / 14

In conformity to Regulation (EU) 2015/830

5.2. Special hazards arising from the substance or mixture

No data available.

5.3. Advice for firefighters

Use protection for the breathing apparatus Safety helmet and full protective suit. The spray water can be used to protect the people involved in the extinction You may also use selfrespirator, especially when working in confined and poorly ventilated area and if you use halogenated extinguishers (Halon 1211 fluobrene, Solkan 123, NAF, etc...) Keep containers cool with water spray

SECTION6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel: Wear mask, gloves and protective clothing.

6.1.2 For emergency responders: Wear mask, gloves and protective clothing. Eliminate all unguarded flames and possible sources of ignition. No smoking. Provision of sufficient ventilation. Evacuate the danger area and, in case, consult an expert.

6.2. Environmental precautions

Contain spill with earth or sand. If the product has entered a watercourse in sewers or has contaminated soil or vegetation, notify it to the the authorities.

Discharge the remains in compliance with the regulations

6.3. Methods and material for containment and cleaning up

6.3.1 For containment: Rapidly recover the product, wear a mask and protective clothing Recover the product for reuse, if possible, or for removal. Possibly absorb it with inert material. Prevent it from entering the sewer system.

6.3.2 For cleaning up: After wiping up, wash the area and materials involved

6.3.3 Other information: None in particular.

6.4. Reference to other sections

Refer to paragraphs 8 and 13 for more information

SECTION7. Handling and storage



PROFUMO PER BUCATO FIOR DI TALCO WASH

Issued on 11/28/2017 - Rel. # 1 on 11/28/2017

Pag. 6 / 14

In conformity to Regulation (EU) 2015/830

7.1. Precautions for safe handling

Avoid contact and inhalation of vapors Wear protective gloves/protective clothing/eye protection/face protection. At work do not eat or drink. Contaminated work clothing should not be allowed out of the workplace. See also paragraph 8 below.

7.2. Conditions for safe storage, including any incompatibilities

Keep in original container closed tightly. Do not store in open or unlabeled containers. Keep containers upright and safe by avoiding the possibility of falls or collisions. Store in a cool place, away from sources of heat and `direct exposure of sunlight.

7.3. Specific end use(s)

Private households (= general public = consumers): Handle in a well ventilated area.

Professional use: Follow the rules of good hygiene in the workplace.

SECTION8. Exposure controls/personal protection

8.1. Control parameters

Related to contained substances: LIMONENE: MAK: 20 110 mg/m ppm skin sensitization (Sh); Peak limitation category: II (2); Risk group for pregnancy: C; (DFG 2005).

- Substance: BENZYL ACETATE

DNEL

```
Systemic effects Long term Workers inhalation = 21,9 (mg/m3)
Systemic effects Long term Workers dermal = 6,25 (mg/kg bw/day)
Systemic effects Long term Consumers inhalation = 5,5 (mg/m3)
Systemic effects Long term Consumers dermal = 3,125 (mg/kg bw/day)
Systemic effects Long term Consumers oral = 3,125 (mg/kg bw/day)
PNEC
Sweet water = 0,000004 (mg/l)
sediment Sweet water = 0,114 (mg/kg/sediment)
sediment Sea water = 0,0114 (mg/kg/sediment)
STP = 8,55 (mg/l)
ground = 0,0205 (mg/kg ground)
```

```
- Substance: LINALOOL
DNEL
Systemic effects Long term Workers inhalation = 2,8 (mg/m3)
Systemic effects Long term Workers dermal = 2,5 (mg/kg bw/day)
Systemic effects Long term Consumers inhalation = 0,7 (mg/m3)
Systemic effects Long term Consumers dermal = 1,25 (mg/kg bw/day)
Systemic effects Long term Consumers oral = 0,2 (mg/kg bw/day)
Systemic effects Short term Consumers inhalation = 4,1 (mg/m3)
Systemic effects Short term Consumers dermal = 2,5 (mg/kg bw/day)
Systemic effects Short term Consumers oral = 1,2 (mg/kg bw/day)
Local effects Long term Workers dermal = 15 (mg/kg bw/day)
Local effects Short term Workers dermal = 15 (mg/kg bw/day)
Local effects Short term Workers dermal = 15 (mg/kg bw/day)
```

PROFUMO PER BUCATO FIOR DI TALCO WASH

Issued on 11/28/2017 - Rel. # 1 on 11/28/2017

Pag. 7 / 14

In conformity to Regulation (EU) 2015/830



PNEC Sweet water = 0,2 (mg/l) sediment Sweet water = 2,22 (mg/kg/sediment) Sea water = 0,02 (mg/l) sediment Sea water = 0,22 (mg/kg/sediment) intermittent emissions = 2 (mg/l) STP = 10 (mg/l) ground = 0,327 (mg/kg ground)

Substance: CITRONELLOL DNEL
Systemic effects Long term Workers inhalation = 161,6 (mg/m3)
Systemic effects Long term Workers dermal = 327,4 (mg/kg bw/day)
Systemic effects Long term Consumers inhalation = 47,8 (mg/m3)
Systemic effects Long term Consumers dermal = 196,4 (mg/kg bw/day)
Systemic effects Long term Consumers oral = 13,8 (mg/kg bw/day)
PNEC
Sweet water = 0,000002 (mg/l)
sediment Sweet water = 0,0256 (mg/kg/sediment)
Sea water = 0,00002 (mg/l)
sediment Sea water = 0,00256 (mg/kg/sediment)
STP = 580 (mg/l)
ground = 0,00321 (mg/kg ground)

8.2. Exposure controls

Appropriate engineering controls: Observe the safety measures used in handling chemicals.

Individual protection measures:

a) Eye / face protection When handling the pure product use safety glasses (spectacles cage) (EN 166).

b) Skin protection

i) Hand protection

When handling the pure product use chemical resistant protective gloves (EN 374-1/EN374-2/EN374-3)

ii) Other

When handling the pure product wear full protective skin clothing.

c) Respiratory protection Not needed for normal use.

d) Thermal hazards No hazard to report

Environmental exposure controls: Use according to good working practices to avoid pollution into the environment.

SECTION9. Physical and chemical properties





PROFUMO PER BUCATO FIOR DI TALCO WASH

Issued on 11/28/2017 - Rel. # 1 on 11/28/2017

Pag. 8 / 14

In conformity to Regulation (EU) 2015/830

9.1. Information on basic physical and chemical properties

| Physical and chemical properties | Value |
|--|------------------------|
| Appearance | Limpid liquid |
| Odour | Characteristic |
| Odour threshold | Undefined |
| рН | Undefined |
| Melting point/freezing point | Undefined |
| Initial boiling point and boiling range | Undefined |
| Flash point | >60°C |
| Evaporation rate | Undefined |
| Flammability (solid, gas) | Undefined |
| Upper/lower flammability or explosive limits | Undefined |
| Vapour pressure | Undefined |
| Vapour density | Undefined |
| Relative density | 1,021-1,041g/mL (20°C) |
| Solubility | Lipid soluble |
| Water solubility | Undefined |
| Partition coefficient: n-octanol/water | Undefined |
| Auto-ignition temperature | Undefined |
| Decomposition temperature | Undefined |
| Viscosity | Undefined |
| Explosive properties | Undefined |
| Oxidising properties | Undefined |

9.2. Other information

Content of VOC ready to use condition: 1,84 %

SECTION10. Stability and reactivity

10.1. Reactivity

No reactivity hazards

10.2. Chemical stability

No hazardous reaction when handled and stored according to provisions.

10.3. Possibility of hazardous reactions

There are no hazardous reactions

10.4. Conditions to avoid

Nothing to report



PROFUMO PER BUCATO FIOR DI TALCO WASH

Issued on 11/28/2017 - Rel. # 1 on 11/28/2017

Pag. 9 / 14

In conformity to Regulation (EU) 2015/830

10.5. Incompatible materials

Nothing to report.

10.6. Hazardous decomposition products

Does not decompose when used for intended uses.

SECTION11. Toxicological information

11.1. Information on toxicological effects

ATE(mix) oral = 30.842,1 mg/kgATE(mix) dermal = 31.578,9 mg/kgATE(mix) inhal = ∞

(a) acute toxicity: LIMONENE: Acute hazards/symptoms:

Skin: Skin Redness. Pain.

Eye: Redness.

(b) skin corrosion/irritationLINALOOL: Irritant (rabbit)

LIMONENE: Irritating

(c) serious eye damage/irritation: If brought into contact with eyes, the product, causes significant irritations which may last for more than 24 hours.

LINALOOL: Irritant (rabbit)

LIMONENE: Mildly irritating

(d) respiratory or skin sensitization: The product, if brought into contact with skin can cause skin sensitization.

(e) germ cell mutagenicity: based on available data, the classification criteria are not met.

(f) carcinogenicity: based on available data, the classification criteria are not met.

(g) reproductive toxicity: based on available data, the classification criteria are not met.

(h) specific target organ toxicity (STOT) single exposure: based on available data, the classification criteria are not met.

(i) specific target organ toxicity (STOT) repeated exposure: LIMONENE: Repeated or prolonged contact may cause skin sensitisation

(j) aspiration hazard: based on available data, the classification criteria are not met.

Related to contained substances: HEXYL CINNAMAL: LD50 (rat) Oral (mg/kg body weight) = 3100

BENZYL SALICYLATE: LD50 (rat) Oral (mg/kg body weight) = 2230 LD50 Dermal (rat or rabbit) (mg/kg body weight) = 14150

4-HYDROXY-3-METHOXYBENZALDEHYDE: LD50 (rat) Oral (mg/kg body weight) = 2800

BENZYL ACETATE: LD50 (rat) Oral (mg/kg body weight) = 3690

OCTAHYDRO TETRAMETHYL ACETONAPHTONE: LD50 (rat) Oral (mg/kg body weight) = 5001 LD50 Dermal (rat or rabbit) (mg/kg body weight) = 5001

LINALOOL:

LD50 (rat) Oral (mg/kg body weight) = 2790 LD50 Dermal (rat or rabbit) (mg/kg body weight) = 5160



PROFUMO PER BUCATO FIOR DI TALCO WASH

Issued on 11/28/2017 - Rel. # 1 on 11/28/2017

Pag. 10 / 14

In conformity to Regulation (EU) 2015/830

COUMARIN:

LD50 (rat) Oral (mg/kg body weight) = 293 CL50 Inhalation (rat) vapour/dust/mist/fume (mg/l/4h) or gas (ppmV/4h) = 242

CITRONELLOL:

LD50 (rat) Oral (mg/kg body weight) = 3450 LD50 Dermal (rat or rabbit) (mg/kg body weight) = 2650

LIMONENE: LD50 (rat) Oral (mg/kg body weight) = 4400

SECTION12. Ecological information

12.1. Toxicity

Related to contained substances: 1,3,4,6,7,8-HEXAHYDRO-4,6,6,7,8,8-HEXAMETHYLINDENO[5,6-C]PYRAN: LC50 = 0,47mg/L (defnie, 48 h) EC50>0,9mg/L (daphnia magna, 48 h) C(E)L50 (mg/l) = 0,47

4-HYDROXY-3-METHOXYBENZALDEHYDE: C(E)L50 (mg/l) = 57

BENZYL ACETATE: LC50 = 4mg/L (fish, 96h) EC50 = 17mg/L (daphnia, 48h) EC50 = 110mg/L (algae, 72h) C(E)L50 (mg/l) = 11

OCTAHYDRO TETRAMETHYL ACETONAPHTONE: LC50 = 1.30 mg/l (fish, lepomismacrochirus, 96h) (OECD TG 203) EC50 = 1.38 mg/l (invertebrates, Daphnia magna, 48h) (OECD TG 202) EC50 = 2.60 mg/l (algae Desmodesmus subspicatus, 72h,) (OECD TG201)

LINALOOL: LC50=27.8 mg/L (fish, 96h) EC50=59mg/L (daphnia, 48h) EC50=88.3 mg/L (algae, 96h)

COUMARIN: LC50=1.324mg/L (fish, 96h) EC50=8.012mg/L (Daphnia, 48h) EC50=1.452mg/L (algae, 96h)

1-(1,2,3,4,6,7,8,8a-OCTAHYDRO-2,3,8,8-TETRAMETHYL-2-NAPHTHYL)ETHAN-1-ONE: LC50 = 1.30 mg/l (fish, lepomismacrochirus, 83d) EC50 = 1.38 mg/l (invertebrates, Daphnia magna, 48 h) EC50 = 2.60 mg/l (algae Desmodesmus subspicatus, 72 h,) C(E)L50 (mg/l) = 1,3

1-(1,2,3,4,5,6,7,8-OCTAHYDRO-2,3,8,8-TETRAMETHYL-2-NAPHTHYL)ETHAN-1-ONE: LC50 = 1.30 mg/l (fish, lepomismacrochirus, 83d) EC50 = 1.38 mg/l (invertebrates, Daphnia magna, 48 h)



PROFUMO PER BUCATO FIOR DI TALCO WASH

Issued on 11/28/2017 - Rel. # 1 on 11/28/2017

Pag. 11 / 14

In conformity to Regulation (EU) 2015/830

EC50 = 2.60 mg/l (algae Desmodesmus subspicatus, 72 h,) C(E)L50 (mg/l) = 1,3

LIMONENE: The substance is very toxic to aquatic organisms. C(E)L50 (mg/l) = 0,688

The product is dangerous for the environment as it is toxic to aquatic organisms following acute exposure.

Use according to good working practices to avoid pollution into the environment.

12.2. Persistence and degradability

No data available.

12.3. Bioaccumulative potential

Related to contained substances: LIMONENE: Can be no bioaccumulation of this chemical in fish.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

The substance / mixture NOT contains substances PBT/vPvB according to Regulation (EC) No 1907/2006, Annex XIII

12.6. Other adverse effects

No adverse effects

SECTION13. Disposal considerations

13.1. Waste treatment methods

Do not reuse empty containers. Dispose of them in accordance with the regulations in force. Any remaining product should be disposed of according to applicable regulations by addressing to authorized companies. Recover if possible. Operate according to local or national regulations

SECTION14. Transport information

14.1. UN number

ADR/RID/IMDG/ICAO-IATA: 3082

If subject to the following characteristics is ADR exempt: Combination packagings: per inner packaging 5 L per package 30 Kg Inner packagings placed in skrink-wrapped or stretch-wrapped trays: per inner packaging 5 L per package 20 Kg





PROFUMO PER BUCATO FIOR DI TALCO WASH

Issued on 11/28/2017 - Rel. # 1 on 11/28/2017

Pag. 12 / 14

In conformity to Regulation (EU) 2015/830

14.2. UN proper shipping name

ADR/RID/IMDG: MATERIA PERICOLOSA PER L'AMBIENTE, LIQUIDA, N.A.S. (1,3,4,6,7,8-ESAIDRO-4,6,6,7,8,8-ESAMETILLINDEN[5,6-C]PIRANO, CITRONELLOL, LIMONENE) ADR/RID/IMDG: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1,3,4,6,7,8-HEXAHYDRO-4,6,6,7,8,8-HEXAMETHYLINDENO[5,6-C]PYRAN, CITRONELLOL, LIMONENE) ICAO-IATA: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1,3,4,6,7,8-HEXAHYDRO-4,6,6,7,8,8-HEXAMETHYLINDENO[5,6-C]PYRAN, CITRONELLOL, LIMONENE)

14.3. Transport hazard class(es)

ADR/RID/IMDG/ICAO-IATA: Class : 9 ADR/RID/IMDG/ICAO-IATA: Label : 9+Ambiente ADR: Tunnel restriction code : --ADR/RID/IMDG/ICAO-IATA: Limited quantities : 5 L IMDG - EmS : F-A, S-F

14.4. Packing group

ADR/RID/IMDG/ICAO-IATA: III

14.5. Environmental hazards

ADR/RID/ICAO-IATA: Product is environmentally hazardous IMDG: Marine polluting agent : Yes

14.6. Special precautions for user

The goods must be transported by vehicles authorized to transport of dangerous goods according to the current edition of ADR requirements and applicable national regulations.

The goods must be in original packing, however, in packaging made of materials resistant to their content and not likely to generate with this dangerous reactions. People loading and unloading dangerous goods must be trained on the risks from these substances and that must be taken in case of emergency situations.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

It is not intended to carry bulk

SECTION15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Reg (EC) n. 1907/2006 (REACH), Reg (EC) n. 1272/2008 (CLP), Reg (EC) n. 830/2015 (Requirements for the compilation of safety data sheets), Reg (E) n.790/2009, Dir 96/82/EC as amended. Seveso category: E2 - ENVIRONMENTAL HAZARDS

REGULATION (EU) No 1357/2014 - waste: HP14 - Ecotoxic

15.2. Chemical safety assessment

No chemical safety assessment was carried out by the supplier

SECTION16. Other information



PROFUMO PER BUCATO FIOR DI TALCO WASH

Issued on 11/28/2017 - Rel. # 1 on 11/28/2017

Pag. 13 / 14

In conformity to Regulation (EU) 2015/830

16.1. Other information

Description of the hazard statements exposed to point 3

- H400 = Very toxic to aquatic life.
- H410 = Very toxic to aquatic life with long lasting effects.
- H317 = May cause an allergic skin reaction.
- H319 = Causes serious eye irritation.
- H411 = Toxic to aquatic life with long lasting effects.
- H412 = Harmful to aquatic life with long lasting effects.
- H315 = Causes skin irritation.
- H301 = Toxic if swallowed.
- H311 = Toxic in contact with skin.
- H331 = Toxic if inhaled.
- H226 = Flammable liquid and vapour.

Classification based on data of all mixture components

Regulatory information: Reg 1907/2006 EC Reg 1272/2008 EC Reg 830/2015 EC

Bibliographic data : SAX 12 Ed Van Nostrand Reinhold MERCK INDEX 15 Ed ECHA: European Chemicals Agency OSHA: European Agency for Safety and Health at Work IARC: International Agency for Research on Cancer IPCS: International Programme on Chemical Safety (Cards) NIOSH: Registry of toxic effects of chemical substances (1983) ACGIH: American Conference of Governmental Industrial Hygienists TOXNET: Toxicology Data Network WHO: World Health Organization CheLIST: Chemical Lists Information System

Acronyms:

- ACGIH American Conference of Governmental Industrial Hygienists

- ADR Accord 5Européen Relatif au Transport International des Marchandises Dangereuses par Route (European accord regarding international transport of dangerous goods by land)

- bw body weight
- CLP Classification, Labelling and Packaging
- CSR Chemical Safety Report
- DMEL Derived Minimal Effect Level
- DNEL Derived No Effect Level
- dw dry weight
- EC Effective Concentration
- IATA International Air Transport Association
- IMDG International Maritime Dangerous Goods
- LC Lethal Concentration
- LD Lethal Dose
- m.w. molecular weight
- PBT Persistent, Bioaccumulative and Toxic
- PNEC Predicted No Effect Concentration
- OECD Organisation / Office for Economic Co-operation and Development
- STEL Short Term Exposure Limit
- SVHC Substance of Very High Concern
- TLV Threshold Limit Value
- TWA Time Weighted Average
- vPvB very Persistent, very Bioaccumulative and toxic



PROFUMO PER BUCATO FIOR DI TALCO WASH

Issued on 11/28/2017 - Rel. # 1 on 11/28/2017

Pag. 14 / 14

In conformity to Regulation (EU) 2015/830

- WGK Wassergefährdungsklasse (Water hazard class)

NOTICE TO USERS

The information contained in this sheet are based on the knowledge available at the date of the preparation of this sheet.

The user must be aware of the possible risks associated with the use of the product, other than that for which the product is supplied. The sheet does not exonerate the user from knowing and applying all the regulations governing its activities. The set of regulations mentioned is simply to help the user to fulfill its obligations regarding the use of hazardous products.

This sheet does not exonerate the user from other legal obligations than those mentioned and from rules regulating possession and use of the product, since the user is the only responsible.

*** This sheet supersedes all previous editions.