

Revision: 01.08.2016

Printing date 05.08.2016

Version number 3

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Window cleaner concentrate RM 503
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Detergent
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Alfred Kärcher GmbH & Co. KG Alfred-Kärcher-Str. 28-40 D - 71364 Winnenden

Postfach 160 D - 71349 Winnenden

Tel.: +49-7195-14-0 *Fax:* +49-7195-14-2212

www.karcher.com

Distributor: Kaercher (UK) Ltd. Kaercher House Beaumont Road Banbury Oxon OX16 1TB

Great Britain

Tel.: +44-1295-752-000

Fax: +44-1295-266-436

· Further information obtainable from:

Department PCD-D Tel.: +49-7195-14-2398 Fax: +49-7195-14-3164 safetydata@karcher.com

· 1.4 Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents

Spill, Leak, Fire, Exposure, or Accident

Call CHEMTREC Day or Night

Within USA and Canada: 1-800-424-9300

Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

GB



Printing date 05.08.2016 Version number 3 Revision: 01.08.2016

Trade name: Window cleaner concentrate RM 503

(Contd. of page 1)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Eye Irrit. 2 H319 Causes serious eye irritation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



GHS07

- · Signal word Warning
- · Hazard statements

H319 Causes serious eye irritation.

· Precautionary statements

P102 Keep out of reach of children.

P280 Wear eye protection / face protection.P264 Wash hands thoroughly after handling.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- **PBT**: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · Description: Cleaning agent

· Dangerous components:		
CAS: 107-98-2	1-methoxypropan-2-ol	≤10%
EINECS: 203-539-1	🍅 Flam. Liq. 3, H226; 아 STOT SE 3, H336	
Index number: 603-064-00-3		
Reg.nr.: 01-2119457435-35-XXXX		
	propan-2-ol	≤10%
EINECS: 200-661-7	🏵 Flam. Liq. 2, H225; <equation-block> Eye Irrit. 2, H319; STOT</equation-block>	
Index number: 603-117-00-0	SE 3, H336	
Reg.nr.: 02-2119752543-38-XXXX		

(Contd. on page 3)



Printing date 05.08.2016 Version number 3 Revision: 01.08.2016

Trade name: Window cleaner concentrate RM 503

CAS: 2605-79-0 EINECS: 220-020-5	decyldimethyl aminoxide Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Skin Irrit. 2, H315	ontd. of page 2) 0.1-<1%
· Regulation (EC) No 648/2	2004 on detergents / Labelling for contents	
cationic surfactants, non-i	onic surfactants	< 5%
· Additional information Fo	or the wording of the listed hazard phrases refer to section 16.	

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact Generally the product does not irritate the skin.
- · After eye contact Rinse opened eye for several minutes under running water.
- · After swallowing

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

- · 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents Water with full jet.
- · 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- · Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Do not allow to penetrate the ground/soil.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders). Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling

(Contd. on page 4)



Printing date 05.08.2016 Version number 3 Revision: 01.08.2016

Trade name: Window cleaner concentrate RM 503

(Contd. of page 3)

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Avoid contact with eyes and skin.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and receptacles: No special requirements.
- $\cdot \textit{Information about storage in one common storage facility:}$

Keep away from food, beverages and feed.

- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Storage class VCI storage class: 12
- \cdot 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

107-98-2 1-methoxypropan-2-ol

WEL Short-term value: 560 mg/m³, 150 ppm Long-term value: 375 mg/m³, 100 ppm Sk

67-63-0 propan-2-ol

WEL Short-term value: 1250 mg/m³, 500 ppm Long-term value: 999 mg/m³, 400 ppm

· DNELs

67-63-0 propan-2-ol

Oral	DNEL	26 mg/kg*d (consumer)
Dermal	DNEL	26 mg/kg*d (consumer) 888 mg/kg*d (employee)
		319 mg/kg*d (consumer) 500 mg/m3 (employee)
Inhalative	DNEL	500 mg/m3 (employee)
		89 mg/m3 (consumer)

- · 8.2 Exposure controls
- · Personal protective equipment
- · General protective and hygienic measures

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

(Contd. on page 5)



Printing date 05.08.2016 Version number 3 Revision: 01.08.2016

Trade name: Window cleaner concentrate RM 503

(Contd. of page 4)

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Not necessary if room is well-ventilated.

- · Protection of hands: Not required.
- · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles.

SECTION .	9: Physical	and chemical	properties
-----------	-------------	--------------	------------

· 9.1 Information on basic · General Information	physical and chemical properties
· Appearance:	
Form:	Fluid
C 1	V - 11

Colour: Yellow

Odour: citrus-like

Odour threshold: Not determined.

• pH-value at 20 °C: 5.4 • pH-value 1 %: 5

· Change in condition

Melting point/Melting range: -5 °C Boiling point/Boiling range: 100 °C

• Flash point: $37 \, ^{\circ}C$

· Flammability (solid, gaseous) Not applicable.

Ignition temperature: not applicable
 Decomposition temperature: Not determined.

· Self-igniting: Product is not selfigniting.

• Danger of explosion: Product does not present an explosion hazard.

· Explosion limits:

Lower:Not determined.Upper:Not determined.

(Contd. on page 6)



Printing date 05.08.2016 Version number 3 Revision: 01.08.2016

Trade name: Window cleaner concentrate RM 503

	(Conto	d. of page
Vapour pressure at 20 °C:	43 hPa	
Density at 20 °C:	0.984 g/cm^3	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible	
Partition coefficient (n-octanol/v	water): Not determined.	
· Viscosity:		
dynamic at 20 °C:	3 mPas	
kinematic:	Not determined.	
Solvent content:		
Organic solvents:	20.0 %	
VOC (EC)	20.00 %	
Solids content:	2.1 %	
9.2 Other information	No further relevant information available.	
Additional information	Does not support burning	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity corresponds to 10.3
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- \cdot 10.4 Conditions to avoid No further relevant information available.
- \cdot 10.5 Incompatible materials: No further relevant information available.
- \cdot 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 1	· LD/LC50 values relevant for classification:		
107-98-2 1	-metho	oxypropan-2-ol	
Inhalative	Inhalative LC50 4016 mg/kg (Rat)		
67-63-0 pr			
Dermal	LD50	12800 mg/kg (can)	
		12800 mg/kg (rabbit)	
Inhalative	LC50	5280 mg/kg (Rat)	
		(Contd. on page 7)	

(Contd. on page 7)



Printing date 05.08.2016 Version number 3 Revision: 01.08.2016

Trade name: Window cleaner concentrate RM 503

(Contd. of page 6)

66455-15-0	66455-15-0 alcohol C13-C14 poly (>5-20EO)ethoxylate		
Dermal	LD50	>2000 mg/kg (Rat)	
Inhalative	LC50	>200-2000 mg/kg (Rat)	

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation

Causes serious eye irritation.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity:

67-63-0 propan-2-ol

LC50/96 h 9640 mg/l (Pimephales promelas)

EC50/48 h 13299 mg/l (Daphnia magna)

 $EC50/72 \ h > 1000 \ mg/l \ (Desmodesmus subspicatus)$

EC10/18 h > 1000 mg/l (Pseudomonas putida) (DIN 38412)

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- $\cdot \textit{Additional ecological information:}$
- · COD-value: 526.000 mg/l
- · General notes:

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

GB



Printing date 05.08.2016 Version number 3 Revision: 01.08.2016

Trade name: Window cleaner concentrate RM 503

(Contd. of page 7)

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Must be specially treated adhering to official regulations.

· European waste catalogue

07 06 01* aqueous washing liquids and mother liquors

- · Uncleaned packaging:
- · Recommendation: Non contaminated packagings may be recycled.
- · Recommended cleansing agents: Water, if necessary together with cleaning agents.

SECTION 14: Transport informate	ion
· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void
	voiu
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void
· 14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
· 14.7 Transport in bulk according to Anne	ex II of
Marpol and the IBC Code	Not applicable.
· UN ''Model Regulation'':	Void

SECTION 15: Regulatory information

- \cdot 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · National regulations
- Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

(Contd. on page 9)



Printing date 05.08.2016 Version number 3 Revision: 01.08.2016

Trade name: Window cleaner concentrate RM 503

(Contd. of page 8)

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. A product information sheet can be provided if requested.

· Relevant phrases

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

· Department issuing SDS: PCD-D

· Contact:

Department PCD-D Tel.: +49-7195-14-2398 Fax: +49-7195-14-3164 safetydata@karcher.com

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids – Category 2 Flam. Liq. 3: Flammable liquids – Category 3

Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

* Pata compared to the previous version altered.

0.011-372.0

RM 503/5·1

1.841