

Printing date 22.03.2019 Version number 3 Revision: 31.05.2016

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Ultra Foam Cleaner 3in1 RM 615
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Car shampoo
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Alfred Kärcher SE & Co. KG Alfred-Kärcher-Str. 28-40 D - 71364 Winnenden

Postfach 160 D - 71349 Winnenden

*Tel.:* +49-7195-14-0 *Fax:* +49-7195-14-2212

www.karcher.com

Distributor: Kärcher (UK) Ltd. Kärcher House Brookhill Way Banbury Oxon OX16 3ED Great Britain

*Tel.*: +44-1295-752-000 *Fax*: +44-1295-752-103

· Further information obtainable from:

Department PCD-D Tel.: +49-7195-14-2548 Fax: +49-7195-14-3164 safetydata@karcher.com

· 1.4 Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents

Spill, Leak, Fire, Exposure, or Accident

Call CHEMTREC Day or Night

Within USA and Canada: 1-800-424-9300

Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

GB



Printing date 22.03.2019 Version number 3 Revision: 31.05.2016

Trade name: Ultra Foam Cleaner 3in1 RM 615

(Contd. of page 1)

## SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



GHS05

- · Signal word Danger
- · Hazard-determining components of labelling:

sodium lauryl ether sulfate

· Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

· Precautionary statements

P102 Keep out of reach of children.

*P264* Wash hands thoroughly after handling.

*P280* Wear protective gloves / eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P362+P364 Take off contaminated clothing and wash it before reuse. P332+P313 If skin irritation occurs: Get medical advice/attention.

· 2.3 Other hazards

The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

## SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · Description: Cleaning agent

· Dangerou	s components:
------------	---------------

Reg.nr.: 01-2119488639-16-XXXX Aquatic Chronic 3, H412

(Contd. on page 3)



Printing date 22.03.2019 Version number 3 Revision: 31.05.2016

Trade name: Ultra Foam Cleaner 3in1 RM 615

	alkyl-C10-polyethyleneglycolether + 8 EO	1-5%
Reg.nr.: 02-2119549526-31-XXXX	🤣 Eye Dam. 1, H318; 🕠 Acute Tox. 4, H302	
Regulation (EC) No 648/2004 on de	tergents / Labelling for contents	
anionic surfactants		≥15 - <30%
non-ionic surfactants, preservation a BENZISOTHIAZOLINONE (< 0,000	<i>agents (METHYLISOTHIAZOLINONE (&lt; 0,01%),</i> 5%))	<5%
perfumes		

• Additional information For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information Involve doctor immediately.
- · After inhalation

In case of unconsciousness place patient stably in side position for transportation.

Supply fresh air; consult doctor in case of complaints.

· After skin contact

Immediately wash with water and soap and rinse thoroughly.

Immediately rinse with water.

· After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents

Water spray

Use fire extinguishing methods suitable to surrounding conditions.

- · For safety reasons unsuitable extinguishing agents Water with full jet.
- · 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- · Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

### SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Not required.

(Contd. on page 4)



Printing date 22.03.2019 Version number 3 Revision: 31.05.2016

Trade name: Ultra Foam Cleaner 3in1 RM 615

(Contd. of page 3)

### · 6.2 Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

Do not allow to penetrate the ground/soil.

### · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).

Ensure adequate ventilation.

### · 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## SECTION 7: Handling and storage

### · 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Avoid contact with eyes and skin.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility:

Keep away from food, beverages and feed.

· Further information about storage conditions:

Protect from frost.

Store under lock and key and out of the reach of children.

Keep receptacle tightly sealed.

· 7.3 Specific end use(s) No further relevant information available.

## SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · 8.2 Exposure controls
- · Personal protective equipment
- · General protective and hygienic measures

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

· Respiratory protection:

Use suitable respiratory protective device only when aerosol or mist is formed.

Short term filter device:

(Contd. on page 5)



Printing date 22.03.2019 Version number 3 Revision: 31.05.2016

Trade name: Ultra Foam Cleaner 3in1 RM 615

(Contd. of page 4)

Filter A/P2.

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Not necessary if room is well-ventilated.

- · Protection of hands:
- \* chemical resistant protective gloves (EN 374)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation



Protective gloves.

- · Material of gloves Butyl rubber, BR
- · Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · For the permanent contact gloves made of the following materials are suitable:
- \* butyl rubber 0,7 mm, 480 min (EN 374)
- $\cdot \textit{As protection from splashes gloves made of the following materials are suitable:} \\$ 
  - \* nitril rubber 0,4 mm, 30 min (EN 374)
- · Eye protection:



Tightly sealed goggles (EN 166)

## SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Fluid Colour: Blue

Odour: CharacteristicOdour threshold: Not determined.

• pH-value at 20 °C: 10.3
 • pH-value 1 %: 7.3

· Change in condition

Melting point/freezing point: undetermined Initial boiling point and boiling range: 100 °C

(Contd. on page 6)



Printing date 22.03.2019 Version number 3 Revision: 31.05.2016

Trade name: Ultra Foam Cleaner 3in1 RM 615

	(Contd. of page
Flash point:	>100 °C
Flammability (solid, gaseous)	Not applicable.
Ignition temperature:	not applicable
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure:	Not determined.
Density at 20 °C:	$1.033 \text{ g/cm}^3$
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
dynamic at 20 °C:	20 mPas
kinematic:	Not determined.
Solvent content:	
Organic solvents:	0.1 %
VOC (EC)	0.10 %
Solids content:	25.0 %
9.2 Other information	No further relevant information available.

## SECTION 10: Stability and reactivity

- · 10.1 Reactivity corresponds to 10.3
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- $\cdot$  10.3 Possibility of hazardous reactions No dangerous reactions known
- $\cdot$  10.4 Conditions to avoid No further relevant information available.
- $\cdot \textit{10.5 Incompatible materials:} \textit{No further relevant information available}.$
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known

CD



Printing date 22.03.2019 Version number 3 Revision: 31.05.2016

Trade name: Ultra Foam Cleaner 3in1 RM 615

(Contd. of page 6)

### SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification:

### 61827-42-7 alkyl-C10-polyethyleneglycolether + 8 EO

 Oral
 ATE
 500 mg/kg (Rat)

 Dermal
 LD50
 >4,000 mg/kg (Rat)

- · Primary irritant effect:
- · Skin corrosion/irritation

Causes skin irritation.

· Serious eye damage/irritation

Causes serious eye damage.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

### SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity:

### 68891-38-3 sodium lauryl ether sulfate

LC50	>10-100 mg/l (fish)
EC50	>100 mg/l (bacteria

## $61827\text{-}42\text{-}7\ alkyl\text{-}C10\text{-}polyethyleneglycolether} + 8\ EO$

LC50/96 h 10-100 mg/l (Leuciscus idus) EC50/48 h 10-100 mg/l (Aquatic invertebrates)

EC50/72 h 10-100 mg/l (Aquatic plants)

- · 12.2 Persistence and degradability No further relevant information available.
- · Other information: The product is biodegradable.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · COD-value: 630000 mg/l
- · General notes:

The product does not contain organic complexing agents.

In compliance with the prescribed application parameters, the product does not lead to stable emulsions.

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them,

(Contd. on page 8)



Printing date 22.03.2019 Version number 3 Revision: 31.05.2016

Trade name: Ultra Foam Cleaner 3in1 RM 615

(Contd. of page 7)

at their direct request or at the request of a detergent manufacturer.

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

## **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Must be specially treated adhering to official regulations.

· European waste catalogue

07 06 01\* aqueous washing liquids and mother liquors

- · Uncleaned packaging:
- · Recommendation: Non contaminated packagings may be recycled.

· 14.3 Transport hazard class(es) · ADR, ADN, IMDG, IATA	
· Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.

CD.



Printing date 22.03.2019 Version number 3 Revision: 31.05.2016

Trade name: Ultra Foam Cleaner 3in1 RM 615

(Contd. of page 8)

· UN "Model Regulation":

Void

## SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · National regulations
- · Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. A product information sheet can be provided if requested.

· Relevant phrases

H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H412 Harmful to aquatic life with long lasting effects.

· Department issuing SDS: PCD-D

· Contact:

Department PCD-D Tel.: +49-7195-14-2548 Fax: +49-7195-14-3164 safetydata@karcher.com

#### · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity - Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

(Contd. on page 10)



Printing date 22.03.2019 Version number 3 Revision: 31.05.2016

Trade name: Ultra Foam Cleaner 3in1 RM 615

(Contd. of page 9)

· \* Data compared to the previous version altered.

0.011-124.0

RM 615/2

2.033

GB -