

LORD SHERATON CARETAKER WOOD BALSAM.

Page: 1

Compilation date: 01/09/2011

Revision date: 01/09/2016

## Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: LORD SHERATON CARETAKER WOOD BALSAM.

Product code: 2044418

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: 75 mL

## 1.3. Details of the supplier of the safety data sheet

Company name: RUSTINS LTD

WATERLOO ROAD LONDON NW2 7TX UNITED KINGDOM

Tel: +44(0)20 8450 4666

Email: rustins@rustins.co.uk

#### 1.4. Emergency telephone number

Emergency tel: +44(0)20 8450 4666

(office hours only)

## Section 2: Hazards identification

## 2.1. Classification of the substance or mixture

Classification under CLP: Flam. Sol. 2: H228; Skin Irrit. 2: H315; Aquatic Chronic 2: H411; Eye Irrit. 2: H319; Skin Sens. 1: H317
 Most important adverse effects: Flammable solid. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Toxic to aquatic life with long lasting effects.

## 2.2. Label elements

Label elements:	
Hazard statements:	H228: Flammable solid.
	H315: Causes skin irritation.
	H317: May cause an allergic skin reaction.
	H319: Causes serious eye irritation.
	H411: Toxic to aquatic life with long lasting effects.
Hazard pictograms:	GHS07: Exclamation mark
	GHS09: Environmental
	GHS02: Flame

LORD SHERATON CARETAKER WOOD BALSAM.



Signal words: Warning **Precautionary statements:** P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P280: Wear protective gloves/eye protection.

P302+352: IF ON SKIN: Wash with plenty of water/.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P333+313: If skin irritation or rash occurs: Get medical advice/attention.

P337+313: If eye irritation persists: Get medical advice/attention.

## 2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

## Section 3: Composition/information on ingredients

#### 3.2. Mixtures

## Hazardous ingredients:

## TURPENTINE OIL

EINECS	CAS	PBT / WEL	CLP Classification	Percent
232-350-7	8006-64-2	-	Flam. Liq. 3: H226; Acute Tox. 4: H332; Acute Tox. 4: H312; Acute Tox. 4: H302; Asp. Tox. 1: H304; Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Chronic 2: H411	

## Section 4: First aid measures

## 4.1. Description of first aid measures

Skin contact:	: Remove all contaminated clothes and footwear immediately unless stuck to skin.	
	Drench the affected skin with running water for 10 minutes or longer if substance is still	
	on skin. Consult a doctor.	
Eye contact:	Bathe the eye with running water for 15 minutes. Consult a doctor.	
Ingestion:	Do not induce vomiting. Wash out mouth with water. If conscious, give half a litre of water	
	to drink immediately. Transfer to hospital as soon as possible.	
Inhalation:	Remove casualty from exposure ensuring one's own safety whilst doing so.	
4.2. Most important symptoms and effects, both acute and delayed		

# **Skin contact:** There may be irritation and redness at the site of contact. An itchy rash may occur at the site of contact.

## LORD SHERATON CARETAKER WOOD BALSAM.

Eye contact: There may be irritation and redness. The eyes may water profusely.

**Ingestion:** There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur. There may be vomiting and diarrhoea.

Inhalation: May cause dizziness. May cause nausea.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

**Immediate / special treatment:** Show this safety data sheet to the doctor in attendance. Eye bathing equipment should be available on the premises.

#### Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used.

## 5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes of carbon dioxide / carbon monoxide. Hydrocarbons.

## 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

#### Section 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions:** Eliminate all sources of ignition. Refer to section 8 of SDS for personal protection details.

#### 6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

#### 6.3. Methods and material for containment and cleaning up

**Clean-up procedures:** Do not use equipment in clean-up procedure which may produce sparks. Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

#### 6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

## Section 7: Handling and storage

#### 7.1. Precautions for safe handling

Handling requirements: Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Avoid direct contact with the substance. Smoking is forbidden. Use non-sparking tools.

## LORD SHERATON CARETAKER WOOD BALSAM.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

Suitable packaging: Must only be kept in original packaging.

#### 7.3. Specific end use(s)

Specific end use(s): No data available.

## Section 8: Exposure controls/personal protection

## 8.1. Control parameters

#### Hazardous ingredients:

## TURPENTINE OIL

#### Workplace exposure limits:

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
IE	112 mg/m3	840 mg/m3	-	-

**Respirable dust** 

#### **DNEL/PNEC** Values

**DNEL / PNEC** No data available.

## 8.2. Exposure controls

Engineering measures:	Ensure there is sufficient ventilation of the area. Ensure lighting and electrical	
	equipment are not a source of ignition.	
Respiratory protection:	Self-contained breathing apparatus must be available in case of emergency.	
Hand protection:	Protective gloves. PVC gloves. Butyl gloves. Rubber gloves. Neoprene gloves.	
Eye protection:	Safety glasses. Ensure eye bath is to hand.	
Skin protection:	Protective clothing.	

## Section 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

## State: Wax

Colour: Pale yellow

Odour: Characteristic odour

Solubility in water: Slightly soluble

Flash point°C: Approx. 38

## 9.2. Other information

Other information: No data available.

#### Section 10: Stability and reactivity

#### 10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

## LORD SHERATON CARETAKER WOOD BALSAM.

#### 10.2. Chemical stability

Chemical stability: Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

#### 10.4. Conditions to avoid

Conditions to avoid: Direct sunlight. Heat. Hot surfaces. Sources of ignition. Flames.

## 10.5. Incompatible materials

Materials to avoid: Strong oxidising agents.

#### 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes of carbon dioxide / carbon monoxide.

## Section 11: Toxicological information

**11.1. Information on toxicological effects** 

#### Hazardous ingredients:

#### TURPENTINE OIL

IVN	MUS	LD50	1180	µg/kg
ORL	RAT	LD50	5760	mg/kg

#### Relevant hazards for product:

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated
Respiratory/skin sensitisation	DRM	Hazardous: calculated

#### Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact. An itchy rash may occur at the site of contact.
Eye contact: There may be irritation and redness. The eyes may water profusely.
Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur. There may be vomiting and diarrhoea.
Inhalation: May cause dizziness. May cause nausea.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

## Section 12: Ecological information

#### 12.1. Toxicity

Ecotoxicity values: No data available.

## LORD SHERATON CARETAKER WOOD BALSAM.

12.2. Persistence and degradability

Persistence and degradability: No data available.

#### 12.3. Bioaccumulative potential

Bioaccumulative potential: No data available.

12.4. Mobility in soil

#### 12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Toxic to aquatic organisms.

Section 13: Disposal considerations

13.1. Waste treatment methods

 Disposal operations:
 Transfer to a suitable container and arrange for collection by specialised disposal company.

 Disposal of packaging:
 Dispose of in a regulated landfill site or other method for hazardous or toxic wastes.

 NB:
 The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

#### Section 14: Transport information

14.1. UN number

UN number: UN3175

## 14.2. UN proper shipping name

Shipping name: SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.

(Contains Turpentine)

#### 14.3. Transport hazard class(es)

Transport class: 4.1

14.4. Packing group

Packing group: ||

14.5. Environmental hazards

Environmentally hazardous: Yes

Marine pollutant: No

14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: E

Transport category: 2

## LORD SHERATON CARETAKER WOOD BALSAM.

Section 15: Regulatory information			
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture			
15.2. Chemical Safety Asses	15.2. Chemical Safety Assessment		
Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture			
	by the supplier.		
Section 16: Other informatio	n		
Other information			
Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No		
	2015/830.		
Phrases used in s.2 and s.3:	H226: Flammable liquid and vapour.		
	H228: Flammable solid.		
	H302: Harmful if swallowed.		
	H304: May be fatal if swallowed and enters airways.		
	H312: Harmful in contact with skin.		
	H315: Causes skin irritation.		
	H317: May cause an allergic skin reaction.		
	H319: Causes serious eye irritation.		
	H332: Harmful if inhaled.		
	H411: Toxic to aquatic life with long lasting effects.		
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive		
	and shall be used only as a guide. This company shall not be held liable for any		
	damage resulting from handling or from contact with the above product.		