(GLEN DIMPLEX) OVEN CLEANER

Page: 1

Compilation date: 04.12.14

Revision date: 07.06.17

Revision No: 2

# Section 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name: (GLEN DIMPLEX) OVEN CLEANER

Product code: HC1233

Synonyms: HC1233 / GD / OC

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: FOR PROFESSIONAL AND INDUSTRIAL USE ONLY. Water based hard surface cleaner.

### 1.3. Details of the supplier of the safety data sheet

Company name: MELPASS LIMITED

Unit A 1-6 Farrington Close

Burnley
Lancashire
BB11 5SH

United Kingdom

Tel: 01282 831251

Fax: 01282 450456

Email: info@melpass.co.uk

## 1.4. Emergency telephone number

Emergency tel: 0777 342 9963

#### Section 2: Hazards identification

### 2.1. Classification of the substance or mixture

Classification under CLP: Eye Irrit. 2: H319

Most important adverse effects: Causes serious eye irritation.

## 2.2. Label elements

Label elements:

Hazard statements: H319: Causes serious eye irritation.

Hazard pictograms: GHS07: Exclamation mark



Signal words: Warning

Precautionary statements: P102: Keep out of reach of children.

P280: Wear protective gloves.

(GLEN DIMPLEX) OVEN CLEANER

Page: 2

P260: Do not breathe spray.

P262: Do not get in eyes, on skin, or on clothing.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P301+330+331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

## 2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

### Section 3: Composition/information on ingredients

## 3.2. Mixtures

### **Hazardous ingredients:**

### 2-(2-BUTOXYETHOXY)ETHANOL

| EINECS    | CAS      | PBT / WEL | CLP Classification | Percent |
|-----------|----------|-----------|--------------------|---------|
| 203-961-6 | 112-34-5 | -         | Eye Irrit. 2: H319 | 1-10%   |

## TETRA-SODIUM ETHYLENEDIAMINE TETRA-ACETATE - REACH registered number(s): 01-2119457892-27-XXXX

| 200-573-9 | 64-02-8 | - | Acute Tox. 4: H332; Skin Irrit. 2: H315; | 1-10% |
|-----------|---------|---|--|-------|
|           |         |   | Eye Dam. 1: H318                         |       |

### DODECYLBENZENE SULPHONATE SODIUM SALT - REACH registered number(s): 01-2119489428-22-XXXX

| 246-680-4 | 25155-30-0 | - | Skin Irrit. 2: H315; Eye Dam. 1: H318 | <1% |
|-----------|------------|---|---------------------------------------|-----|
|-----------|------------|---|---------------------------------------|-----|

### DIMETHYL C12-C14 ALKYL BETAINES

| 266-368-1 66 | 6455-29-6 | - | Skin Irrit. 2: H315; Eye Irrit. 2: H319 | <1% |
|--------------|-----------|---|---|-----|
|--------------|-----------|---|---|-----|

### Non-classified ingredients:

## PRIMARY ALCOHOL ETHOXYLATE CD916 - REACH registered number(s): 01-2119980051-45-XXXX

| EINECS | CAS        | PBT / WEL | CLP Classification                   | Percent |
|--------|------------|-----------|--------------------------------------|---------|
| -      | 68439-45-2 | -         | Acute Tox. 4: H302; Eye Dam. 1: H318 | <1%     |

### Section 4: First aid measures

### 4.1. Description of first aid measures

**Skin contact:** Wash immediately with plenty of soap and water. **Eye contact:** Bathe the eye with running water for 15 minutes.

**Ingestion:** Wash out mouth with water.

Inhalation: Move to fresh air in case of accidental inhalation of vapours.

## 4.2. Most important symptoms and effects, both acute and delayed

**Skin contact:** There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and redness. **Ingestion:** There may be irritation of the throat.

(GLEN DIMPLEX) OVEN CLEANER

Page: 3

Inhalation: There may be a feeling of tightness in the chest with shortness of breath.

### 4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

### Section 5: Fire-fighting measures

## 5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray

to cool containers.

### 5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes. Water based product. Advice relates to dry residues

after water has evaporated.

### 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

#### Section 6: Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. Turn leaking containers leak-

side up to prevent the escape of liquid.

### 6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding. Warning

relates to a large spillage, not a single bottle.

# 6.3. Methods and material for containment and cleaning up

**Clean-up procedures:** Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for

disposal by an appropriate method. Wash the spillage site with large amounts of water.

Single bottle spillage: wash down the drain with a large amount of water.

#### 6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

### Section 7: Handling and storage

# 7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

# 7.3. Specific end use(s)

Specific end use(s): No data available.

(GLEN DIMPLEX) OVEN CLEANER

Page: 4

### Section 8: Exposure controls/personal protection

## 8.1. Control parameters

## **Hazardous ingredients:**

### 2-(2-BUTOXYETHOXY)ETHANOL

## Workplace exposure limits:

## Respirable dust

| State | 8 hour TWA | 15 min. STEL | 8 hour TWA | 15 min. STEL |
|-------|------------|--------------|------------|--------------|
| UK    | 67.5 mg/m3 | 101.2 mg/m3  | -          | -            |

#### **DNEL/PNEC Values**

**DNEL / PNEC** No data available.

### 8.2. Exposure controls

**Engineering measures:** Ensure there is sufficient ventilation of the area.

**Respiratory protection:** Respiratory protection not required.

Hand protection: Protective gloves.

Eye protection: Safety glasses. Ensure eye bath is to hand.

**Skin protection:** Protective clothing.

### Section 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Colourless

Odour: Citrus/lemon.

Evaporation rate: Slow

Solubility in water: Highly soluble

Viscosity: Non-viscous

Boiling point/range°C: 100 - 234 Melting point/range°C: 0

Flammability limits %: lower: Not applicable. upper: Not applicable.

Flash point°C: >105 Part.coeff. n-octanol/water: No data available.

Autoflammability°C: >210 Vapour pressure: Not applicable.

**Relative density:** 1.020 **pH:** 11.5 - 12.5

VOC g/I: No data available.

## 9.2. Other information

Other information: No data available.

# Section 10: Stability and reactivity

## 10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

(GLEN DIMPLEX) OVEN CLEANER

Page: 5

## 10.2. Chemical stability

Chemical stability: Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

### 10.4. Conditions to avoid

Conditions to avoid: Heat.

## 10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

## 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

## **Section 11: Toxicological information**

## 11.1. Information on toxicological effects

### **Hazardous ingredients:**

## 2-(2-BUTOXYETHOXY)ETHANOL

| ORL | MUS | LD50 | 6050 | mg/kg |
|-----|-----|------|------|-------|
| ORL | RAT | LD50 | 4500 | mg/kg |

# TETRA-SODIUM ETHYLENEDIAMINE TETRA-ACETATE

| DERMAL | GPG | LD50 | 5000 | mg/kg |
|--------|-----|------|------|-------|
| ORL    | RAT | LD50 | 3030 | mg/kg |

### DODECYLBENZENE SULPHONATE SODIUM SALT

|      | l     | l       | l     |       |
|------|-------|---------|-------|-------|
| ORL  | I DAT | 1 I DEO | >2000 | ma/ka |
| IONE | RAT   | LD30    | >2000 | ma/ka |
|      |       |         |       |       |

## **DIMETHYL C12-C14 ALKYL BETAINES**

| ORL  | RAT | LD50 | >2000  | ma/ka    |
|------|-----|------|--------|----------|
| 0.11 | 100 |      | 7 2000 | 1119/119 |

### PRIMARY ALCOHOL ETHOXYLATE CD916

| IHL | RAT | LC50 | >5       | mg/l  |
|-----|-----|------|----------|-------|
| ORL | RAT | LD50 | 200-2000 | mg/kg |
| SKN | RAT | LD50 | >2000    | mg/kg |

(GLEN DIMPLEX) OVEN CLEANER

Page: 6

#### Relevant hazards for product:

| Hazard                        | Route | Basis                 |
|-------------------------------|-------|-----------------------|
| Serious eye damage/irritation | OPT   | Hazardous: calculated |

## Symptoms / routes of exposure

**Skin contact:** There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and redness. **Ingestion:** There may be irritation of the throat.

**Inhalation:** There may be a feeling of tightness in the chest with shortness of breath.

### **Section 12: Ecological information**

## 12.1. Toxicity

### **Hazardous ingredients:**

#### **TETRA-SODIUM ETHYLENEDIAMINE TETRA-ACETATE**

| FISH | 96H LC50 | >100 mg/l |  |
|------|----------|-----------|--|

#### PRIMARY ALCOHOL ETHOXYLATE CD916

| FISH 96H LC50 1-10 mg/l |
|-------------------------|
|-------------------------|

## 12.2. Persistence and degradability

Persistence and degradability: Biodegradable. The surfactant(s) contained in this preparation complies (comply) with

the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on

detergents.

## 12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

### 12.4. Mobility in soil

Mobility: Readily absorbed into soil. Volatile. Soluble in water.

# 12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

## 12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

### Section 13: Disposal considerations

### 13.1. Waste treatment methods

**Disposal operations:** Flush down sewerage drain with copious amounts of water.

**Recovery operations:** Not applicable. **Waste code number:** 20 01 30

(GLEN DIMPLEX) OVEN CLEANER

Page: 7

**Disposal of packaging:** Dispose of as normal industrial waste. Clean with water.

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

## **Section 14: Transport information**

Transport class: This product does not require a classification for transport.

## **Section 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

### 15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

### **Section 16: Other information**

### Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No

2015/830.

Detergent Regulations EC648/2004, the product contains amongst other ingredients:-

Amphoteric surfactants <5%

Anionic surfactants <5%

Non-Ionic surfactants <5%

EDTA salts <5%

Perfumes

**IMPORTANT NOTE:** 

Risk phases in this section below relate to the INDIVIDUAL COMPONENTS in the

formulation when used at their FULL CONCENTRATIONS, and not at the reduced levels

in the mixed product.

See sections 2 and 3 for the calculated hazard and risk phrases for the blended product.

Phrases used in s.2 and s.3: H302: Harmful if swallowed.

H315: Causes skin irritation.

H318: Causes serious eye damage.

H319: Causes serious eye irritation.

H332: Harmful if inhaled.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive

and shall be used only as a guide. This company shall not be held liable for any

damage resulting from handling or from contact with the above product. For professional

and industrial use only.