

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name : Dr. Beckmann Power-Foaming Toilet Cleaner
Formulation-No. : 022-18
Type of product : Detergent

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public
Use of the substance/mixture : Special cleaning agent

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Supplier

ACDOCO Ltd.
Martens Road
Northbank Industrial Estate
M44 5AX Manchester - United Kingdom
T +44 (0) 161 7757766

Email competent person

sds@kft.de

1.4. Emergency telephone number

Emergency number : National Health Service (NHS)
24 hour national number consumer
England and Scotland: 111
Wales: 0845 46 47
Northern Ireland: call your local General Practitioner

Call 999 if there is a life-threatening incident.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Serious eye damage/eye irritation, Category 1 H318
Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

Causes serious eye damage.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS05

Signal word (CLP) :

Danger

Hazardous ingredients :

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts

Hazard statements (CLP) :

H318 - Causes serious eye damage.

Dr. Beckmann Power-Foaming Toilet Cleaner

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Precautionary statements (CLP)	: P101 - If medical advice is needed, have product container or label at hand. P102 - Keep out of reach of children. P280 - Wear eye protection, face protection. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER, a doctor.
Child-resistant fastening	: Not applicable
Tactile warning	: Not applicable

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Citric acid	(CAS-No.) 77-92-9 (EC-No.) 201-069-1	>=25 - <50	Eye Irrit. 2, H319
sodium carbonate	(CAS-No.) 497-19-8 (EC-No.) 207-838-8 (EC Index-No.) 011-005-00-2 (REACH-no) 01-2119485498-19-xxxx	>=5 - <10	Eye Irrit. 2, H319
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts	(CAS-No.) 68411-30-3 (EC-No.) 270-115-0	>=2.5 - <5	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: In all cases of doubt, or when symptoms persist, seek medical attention.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First-aid measures after ingestion	: Rinse mouth out with water. Spit. Drink plenty of water. Do not give an unconscious person anything to drink. Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after eye contact	: Serious damage to eyes.
------------------------------------	---------------------------

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Use extinguishing media appropriate for surrounding fire. Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media	: Strong water jet.

Dr. Beckmann Power-Foaming Toilet Cleaner

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released. calcium oxide. Carbon dioxide. Carbon monoxide. Sulphur oxides. Silicon oxide.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

Other information : Do not allow run-off from fire fighting to enter drains or water courses. Disposal must be done according to official regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid sub-soil penetration. Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up mechanically (sweeping, shovelling) and collect in suitable container for disposal.

Other information : Disposal must be done according to official regulations.

6.4. Reference to other sections

Information for safe handling. See section 7. Concerning personal protective equipment to use, see section 8. For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

Incompatible materials : oxidizing materials. Acids.

Information about storage in one common storage facility : Keep away from food, drink and animal feeding stuffs.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Citric acid (77-92-9)	
PNEC (Water)	
PNEC aqua (freshwater)	0.44 mg/l
PNEC aqua (marine water)	0.044 mg/l

Dr. Beckmann Power-Foaming Toilet Cleaner

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Citric acid (77-92-9)	
PNEC (Sediment)	
PNEC sediment (freshwater)	34.6 mg/kg dwt
PNEC sediment (marine water)	3.46 mg/kg dwt
PNEC (Soil)	
PNEC soil	33.1 mg/kg dwt
PNEC (STP)	
PNEC sewage treatment plant	1000 mg/l
sodium carbonate (497-19-8)	
DNEL/DMEL (Workers)	
Long-term - local effects, inhalation	10 mg/m ³
DNEL/DMEL (General population)	
Acute - local effects, inhalation	10 mg/m ³
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts (68411-30-3)	
DNEL/DMEL (Workers)	
Long-term - systemic effects, dermal	85 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	6 mg/m ³
Long-term - local effects, inhalation	6 mg/m ³
DNEL/DMEL (General population)	
Long-term - systemic effects, oral	0.425 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	1.5 mg/m ³
Long-term - systemic effects, dermal	42.5 mg/kg bodyweight/day
Long-term - local effects, inhalation	1.5 mg/m ³
PNEC (Water)	
PNEC aqua (freshwater)	0.268 mg/l
PNEC aqua (marine water)	0.027 mg/l
PNEC aqua (intermittent, freshwater)	0.017 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	8.1 mg/kg dwt
PNEC sediment (marine water)	6.8 mg/kg dwt
PNEC (Soil)	
PNEC soil	35 mg/kg dwt
PNEC (STP)	
PNEC sewage treatment plant	3.43 mg/l

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station. Emergency eye wash fountains should be available in the immediate vicinity of any potential exposure.

Hand protection:

In case of repeated or prolonged contact wear gloves. EN 374. For undissolved solid substances following materials may be suitable: Butyl rubber, Chloroprene rubber, Fluoroelastomer (FKM), Nitrile rubber. Choosing the proper glove is a decision that depends not only on the type of material, but also on other quality features, which differ for each manufacturer. Please follow the instructions related to the permeability and the penetration time provided by the manufacturer. Gloves must be replaced after each use and whenever signs of wear or perforation appear

Eye protection:

Wear closed safety glasses. EN 166. Emergency eye wash fountains should be available in the immediate vicinity of any potential exposure

Dr. Beckmann Power-Foaming Toilet Cleaner

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. EN 143. Short term exposure. Dust production: dust mask with filter type P2. Breathing equipment is only to be used in order to handle the residual risk of short term jobs if all other risk minimizing measures have been carried out e.g. retention and/or local exhaust.

Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke when using this product. Avoid contact with skin and eyes. Always wash hands after handling the product.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: Powder.
Colour	: white. with black speckles.
Odour	: perfumed.
Odour threshold	: No data available
pH	: 6.7 (10 % Solution)
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: Not applicable
Boiling point	: No data available
Flash point	: Not applicable
Auto-ignition temperature	: Not self-igniting
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: Not applicable
Relative vapour density at 20 °C	: Not applicable
Relative density	: No data available
Solubility	: Water: Soluble
Log Pow	: Not applicable
Viscosity, kinematic	: Not applicable
Viscosity, dynamic	: Not applicable
Explosive properties	: Product is not explosive.
Oxidising properties	: Non oxidizing.
Explosive limits	: Not applicable

9.2. Other information

Bulk density : $\approx 930 \text{ kg/m}^3$

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

No additional information available

Dr. Beckmann Power-Foaming Toilet Cleaner

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

10.5. Incompatible materials

Oxidizing agent. Acids.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal) : Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation) : Not classified (Based on available data, the classification criteria are not met)

Dr. Beckmann Power-Foaming Toilet Cleaner

ATE CLP (oral)	≈ 19800 mg/kg bodyweight
----------------	--------------------------

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts (68411-30-3)

LD50 oral rat	1080 mg/kg (OECD 401 method)
LD50 dermal rat	> 2000 mg/kg (OECD 402 method)

Skin corrosion/irritation : Not classified (Based on available data, the classification criteria are not met)
pH: 6.7 (10 % Solution)
Serious eye damage/irritation : Causes serious eye damage.
pH: 6.7 (10 % Solution)
Respiratory or skin sensitisation : Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity : Not classified (Based on available data, the classification criteria are not met)
Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure : Not classified (Based on available data, the classification criteria are not met)
STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)
Aspiration hazard : Not classified (Not relevant)

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified (Based on available data, the classification criteria are not met)
Hazardous to the aquatic environment, long-term (chronic) : Not classified (Based on available data, the classification criteria are not met)

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts (68411-30-3)

LC50 fish 1	1.67 mg/l (96 h; Lepomis macrochirus)
EC50 Daphnia 1	2.9 mg/l (48 h; Daphnia magna; (OECD 202 method))
EC50 96h algae (1)	29 mg/l (Pseudokirchneriella subcapitata)
NOEC chronic fish	1 mg/l (28 d; Lepomis macrochirus; (OECD 204 method))

12.2. Persistence and degradability

Dr. Beckmann Power-Foaming Toilet Cleaner

Persistence and degradability	The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.
-------------------------------	--

Dr. Beckmann Power-Foaming Toilet Cleaner

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Citric acid (77-92-9)	
Persistence and degradability	Readily biodegradable.
Biodegradation	100 % (19 d; (OECD 301E method))

sodium carbonate (497-19-8)	
Persistence and degradability	Not applicable for inorganic substances.

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts (68411-30-3)	
Persistence and degradability	Readily biodegradable.
Biodegradation	85 % (29 d; (OECD 301B method))

12.3. Bioaccumulative potential

Dr. Beckmann Power-Foaming Toilet Cleaner	
Log Pow	Not applicable
Bioaccumulative potential	The product has not been tested.

Citric acid (77-92-9)	
Log Pow	< 0
Bioaccumulative potential	Bioaccumulation unlikely.

sodium carbonate (497-19-8)	
Bioaccumulative potential	Not applicable for inorganic substances.

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts (68411-30-3)	
Log Pow	1.4 (23 °C; (OECD 123 method))
Bioaccumulative potential	Low bioaccumulation potential. (OECD 305 method).

12.4. Mobility in soil

Dr. Beckmann Power-Foaming Toilet Cleaner	
Ecology - soil	The product has not been tested.

sodium carbonate (497-19-8)	
Ecology - soil	Expected to be highly mobile in soil.

12.5. Results of PBT and vPvB assessment

Dr. Beckmann Power-Foaming Toilet Cleaner	
This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII	
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
Component	
Citric acid (77-92-9)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
sodium carbonate (497-19-8)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts (68411-30-3)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Other adverse effects

No additional information available

Dr. Beckmann Power-Foaming Toilet Cleaner

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods	: Disposal must be done according to official regulations. European waste catalogue. Do not dispose of with domestic waste. Do not discharge into drains or the environment.
Sewage disposal recommendations	: Do not allow into drains or water courses.
European List of Waste (LoW) code	: 07 06 99 - wastes not otherwise specified 20 01 29* - detergents containing dangerous substances
HP Code	: HP4 - "Irritant — skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shipping name				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available				

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Dr. Beckmann Power-Foaming Toilet Cleaner

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Detergent Regulation : Labelling of contents:	
Component	%
anionic surfactants	<5%
perfumes	
CITRAL	
LIMONENE	
HEXYL CINNAMAL	

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC50	Median effective concentration
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
TLM	Median Tolerance Limit
vPvB	Very Persistent and Very Bioaccumulative

Data sources : ECHA (European Chemicals Agency). MSDSs of the suppliers. Information provided by the manufacturer.

Dr. Beckmann Power-Foaming Toilet Cleaner

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Department issuing data specification sheet: : KFT Chemieservice GmbH
Im Leuschnerpark. 3 64347 Griesheim
Germany
Phone: +49 6155-8981-400 Fax: +49 6155 8981-500
Safety Data Sheet Service: +49 6155 8981-522
Contact person : Dr. Daniela Krimm
Other information : Version/s 1.00 is/are not available in this language.

Full text of H- and EUH-statements:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
H302	Harmful if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Eye Dam. 1	H318	Calculation method
------------	------	--------------------

KFT SDS EU 02

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.