# SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

# **DE-ICER SPRAY**

Page 1/6

1

## Revision Revision date

SECTION 1: Identification of the substance/mixture and of the company/undertaking					
1.1. Product identifier					
Product name	DE-ICER SPRAY				
1.3. Details of the supplier of the s	1.3. Details of the supplier of the safety data sheet				
Company	Active Brand Concepts Ltd				
Address	The Forge Crewe Hall Farm Crewe CW1 5UE				
Web	www.homecareproducts.co.uk				
Telephone	0844 335 0816				
Fax	0844 335 0854				
Email	sales@active-brand-concepts.com				
Email address of the competent person	sales@active-brand-concepts.com				
Local Supplier					
Company	Bulk Products Ltd				
Address	Unit 2 Marshfield Bank Middlewich Road Crewe Cheshire CW2 8UY United Kingdom				
Web	www.homecareproducts.co.uk				
Telephone	0844 335 0816				
Fax	0844 335 0854				
Email	sales@active-brand-concepts.com				
Email address of the competent person	sales@active-brand-concepts.com				
1.4. Emergency telephone number					
Emergency telephone number	08443350816				
Company	James Sharpe 8.30 - 5				
SECTION 2: Hazards identification					
2.1. Classification of the substanc	e or mixture				
2.1.1. Clas <del>sific</del> ation - 1999/45/ <b>C</b>	Xn; R20/21/22-68/20/21/22 R10 Symbols: Xn: Harmful.				

# 2.1.1. Classification Xn; K20/21/22-68/20/21/22 K10 1999/45/LC Symbols: Xn: Harmful. Main hazards Flammable. Harmful by inhalation, in contact with skin and if swallowed. Harmful: possible risk of irreversible effects through inhalation, in contact with skin and if swallowed.



## Revision 1

**Revision date** 

2.1. Classification of the substa	ance or mixture
2.1.2. Classification - EC 1272/2008	Flam. Liq. 3: H226; Eye Irrit. 2: H319; STOT SE 2: H371;
2.2. Label elements	
Hazard pictograms	
Signal Word	Warning
Hazard Statement	Flam. Liq. 3: H226 - Flammable liquid and vapour.
	Eye Irrit. 2: H319 - Causes serious eye irritation.
	STOT SE 2: H371 - May cause damage to organs .
Precautionary Statement:	P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No
Prevention	smoking.
	P233 - Keep container tightly closed.
	P240 - Ground/bond container and receiving equipment.
	P241 - Use explosion-proof electrical/ventilating/lighting// equipment.
	P242 - Use only non-sparking tools.
	P243 - Take precautionary measures against static discharge.
	P260 - Do not breathe dust/fume/gas/mist/vapours/spray.
	P264 - Wash thoroughly after handling.
	P270 - Do no eat, drink or smoke when using this product.
	P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement:	P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse
Response	skin with water/shower.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.
	P337+P313 - If eye irritation persists: Get medical advice/attention.
Precautionary Statement:	P370+P378 - In case of fire: Use to extinguish.
	P403+P235 - Store in a well-ventilated place. Keep cool.
Storage	P405 - Store locked up.
Precautionary Statement:	P501 - Dispose of contents/container to
Disposal	

# SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

## 67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration	Conc.	Classification	M-factor.
				Number	(%w/w)		
Isopropanol (Propan-2-ol)	603-117-00-0	67-63-0	200-661-7		10 - 20%	⁄o F; R11 Xi; R36 R67	
Methanol	603-001-00-X	67-56-1	200-659-6		1 - 10%	% F; R11 T; R23/24/25-39/23/24/25	

## EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	<b>REACH Registration</b>	Conc. Classification	M-factor.
				Number	(%w/w)	
Isopropanol (Propan-2-ol)	603-117-00-0	67-63-0	200-661-7		10 - 20% Flam. Liq. 2: H225; Eye Irrit.	
					2: H319; STOT SE 3: H336;	
Methanol	603-001-00-X	67-56-1	200-659-6		1 - 10% Flam. Liq. 2: H225; Acute	
					Tox. 3: H331; Acute Tox. 3:	
					H311; Acute Tox. 3: H301;	
					STOT SE 1: H370;	
SECTION 4: First aid measures						

#### SECTION 4. First and measure

## 4.1. Description of first aid measures

Inhalation

Move the exposed person to fresh air.



Revision 1

**Revision date** 

	Revision date
4.1. Description of first aid me	easures
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open.
Skin contact	Wash off immediately with plenty of soap and water. Remove contaminated clothing.
Ingestion	DO NOT INDUCE VOMITING.
4.2. Most important symptom	is and effects, both acute and delayed
Inhalation	Harmful by inhalation. Inhalation may cause nausea and vomiting. May cause dizziness and headache.
Eye contact	May cause irritation to eyes.
Skin contact	May cause irritation to skin. May cause dermatitis.
Ingestion	Harmful by inhalation and if swallowed. Ingestion may cause nausea and vomiting. Ingestion is irritating to the respiratory tract and may cause damage to the central nervous system.
4.3. Indication of any immedia	ate medical attention and special treatment needed
Inhalation	Seek medical attention.
Eye contact	Seek medical attention if irritation or symptoms persist.
Skin contact	Seek medical attention if irritation or symptoms persist.
Ingestion	If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.
<b>SECTION 5: Firefightin</b>	ng measures
5.1. Extinguishing media	
	Use as appropriate: Carbon dioxide (CO2), Dry chemical, Foam.
5.2. Special hazards arising fr	om the substance or mixture
	. Burning produces irritating, toxic and obnoxious fumes.
5.3. Advice for firefighters	
	Wear suitable respiratory equipment when necessary.
SECTION 6: Accidenta	l release measures
6.1. Personal precautions, pro	ntective equipment and emergency procedures
	Ensure adequate ventilation of the working area. Eliminate all sources of ignition. Wear suitable protective equipment.
6.2. Environmental precaution	
	Do not allow product to enter drains. Prevent further spillage if safe.
6.3. Methods and material for	containment and cleaning up
	Absorb with inert, absorbent material. Transfer to suitable, labelled containers for disposal. Clean
	spillage area thoroughly with plenty of water.
<b>SECTION 7: Handling</b>	and storage
7.1. Precautions for safe hand	ling
	Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Use explosion proof equipment. Keep away from sources of ignition - No smoking. Adopt best Manual Handling
	considerations when handling, carrying and dispensing.
7.2. Conditions for safe storag	ge, including any incompatibilities
	Keep in a cool, dry, well ventilated area. Keep containers tightly closed.
<b>SECTION 8: Exposure</b>	controls/personal protection
8.1. Control parameters	
-	



#### Revision 1

Revision date

Isopropanol (Propan-2-ol)	WEL 8-hr limit ppm: 400	WEL 8-hr limit mg/m3: 999
	WEL 15 min limit ppm: 500	WEL 15 min limit mg/m3: 1250
	WEL 8-hr limit mg/m3 total 🗖	WEL 15 min limit mg/m3 total
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total
	respirable dust:	respirable dust:
Methanol	WEL 8-hr limit ppm: 200	WEL 8-hr limit mg/m3: 266
	WEL 15 min limit ppm: 250	WEL 15 min limit mg/m3: 333
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total
	respirable dust:	respirable dust:

## 8.2. Exposure controls

8.2.1. Appropriate engineering	Ensure adequate ventilation of the working area.	
controls		
8.2.2. Individual protection	Wear chemical protective clothing.	
measures		
Eye / face protection	Approved safety goggles.	
Skin protection -	Chemical resistant gloves (PVC).	
Handprotection		
<b>Respiratory protection</b>	Self-contained breathing apparatus. Wear protective clothing.	
SECTION 9: Physical and chemical properties		

9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Blue
Odour	Characteristic
рН	±7
Melting poir	t ± 848 °C
Initial boiling poi	nt ± 84.8 °C
Flash poin	47 °C
Relative density	$\pm$ 0.975 (H2O = 1 @ 20 °C)
Viscosity	10 mPas (Cone & Plate)
Solubilit	Soluble in water

## SECTION 10: Stability and reactivity

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Oxidising agents.

10.4. Conditions to avoid

Heat, sparks and open flames.

**SECTION 11: Toxicological information** 

**11.1.4.** Toxicological Information



Revision	1
Revision date	

 11.1.4. Toxicological Information

 No data available

 SECTION 12: Ecological information

 12.1. Toxicity

 12.1. Toxicity

 No data available

 SECTION 13: Disposal considerations

 General information

 Dispose of in compliance with all local and national regulations.

 SECTION 14: Transport information

 14.1. UN number

 The product is not classified as dangerous for carriage.

 14.2. UN proper shipping name
 The product is not classified as dangerous for carriage.

 14.3. Transport hazard class(es)
 The product is not classified as dangerous for carriage.

The product is not classified as dangerous for carriage.

The product is not classified as dangerous for carriage.

The product is not classified as dangerous for carriage.

The product is not classified as dangerous for carriage.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

#### **SECTION 16: Other information**

#### Other information

14.4. Packing group

14.5. Environmental hazards

14.6. Special precautions for user

Revision	This document differs from the previous version in the following areas:.
	2 - 2.1.2. Classification - EC 1272/2008.
	2 - Hazard pictograms.
	2 - Signal Word.
	2 - Precautionary Statement: Prevention.
	2 - Precautionary Statement: Response.
	2 - Precautionary Statement: Storage.
	2 - Precautionary Statement: Disposal.
	12 - 12.1. Toxicity.
Text of risk phrases in Section	R11 - Highly flammable.
3	R23/24/25 - Toxic by inhalation, in contact with skin and if swallowed.
	R36 - Irritating to eyes.
	R39/23/24/25 - Toxic: danger of very serious irreversible effects through inhalation, in contact with
	skin and if swallowed.
	R67 - Vapours may cause drowsiness and dizziness.
Text of Hazard Statements in	Flam. Liq. 2: H225 - Highly flammable liquid and vapour.
Section 3	Eye Irrit. 2: H319 - Causes serious eye irritation.



Revision 1

Revision date

Other information	
	STOT SE 3: H336 - May cause drowsiness or dizziness.
	Acute Tox. 3: H301 - Toxic if swallowed.
	Acute Tox. 3: H311 - Toxic in contact with skin.
	Acute Tox. 3: H331 - Toxic if inhaled.
	STOT SE 1: H370 - Causes damage to organs .
Further information	
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use,
	storage and handling of the product. This information is correct to the best of our knowledge and
	belief at the date of publication however no guarantee is made to its accuracy. This information
	relates only to the specific material designated and may not be valid for such material used in
	combination with any other materials or in any other process.

