



Safety Data Sheet dated 04/10/2018, version 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier Trade name:

STORM PRO 5

- **1.2. Relevant identified uses of the substance or mixture and uses advised against** Recommended use:
 - Amateur and professional use Uses advised against: Do not use for purposes other than those stated in "Recommended uses"

1.3. Details of the supplier of the safety data sheet

Company: LODI UK Unit 3, Building 69, 3rd Avenue, Pensnett Trading Estate Kingswinford, West Midlands DY6 7FD United Kingdom Tel. +44 1384 404 242 Competent person responsible for the safety data sheet: fds@lodi.fr

1.4. Emergency telephone number

European Emergency phone number : 112

SECTION 2: Hazards identification

- 2.1. Classification of the substance or mixture
 - EC regulation criteria 1272/2008 (CLP)
 - Warning, Skin Irrit. 2, Causes skin irritation.
 - Danger, Eye Dam. 1, Causes serious eye damage.

Warning, Aquatic Acute 1, Very toxic to aquatic life.

Warning, Aquatic Chronic 1, Very toxic to aquatic life with long lasting effects.

Adverse physicochemical, human health and environmental effects: No other hazards

2.2. Label elements

Hazard pictograms:





Danger Hazard statements: H315 Causes skin irritation. H318 Causes serious eye damage. H410 Very toxic to aquatic life with long lasting effects. Precautionary statements: P280 Wear protective gloves/protective clothing/eve protection/face protection. P302+P352 IF ON SKIN: Wash with plenty of water/... P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/doctor/... P321 Specific treatment (see ... On this label). P332+P313 If skin irritation occurs: Get medical advice/attention. P362+P364 Take off contaminated clothing and wash it before reuse. P501 Dispose of contents/container in accordance with applicable regulations. Special Provisions: None Contains Chlorures d'alkyl (C12-C16) dimethylbenzylammonium Special provisions according to Annex XVII of REACH and subsequent amendments: None

2.3. Other hazards

vPvB Substances: None - PBT Substances: None Other Hazards: No other hazards SECTION 2: Hazards identification

SECTION 3: Composition/information on ingredients

3.1. Substances

Not available

3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Numb	er	Classification
4.99% w/w	Chlorures d'alkyl (C12-C16) dimethylbenzylammonium	CAS:		 3.1/4/Oral Acute Tox. 4 H302 3.2/1A Skin Corr. 1A H314 3.3/1 Eye Dam. 1 H318 4.1/A1 Aquatic Acute 1 H400 M=10. 4.1/C1 Aquatic Chronic 1 H410

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing. OBTAIN IMMEDIATE MEDICAL ATTENTION.



Remove contaminated clothing immediately and dispose off safely. After contact with skin, wash immediately with soap and plenty of water. In case of eyes contact: After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately. Protect uninjured eye. In case of Ingestion: Do NOT induce vomiting. In case of Inhalation: Remove casualty to fresh air and keep warm and at rest. **4.2. Most important symptoms and effects, both acute and delayed** None

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Treatment: None

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media: Water. Carbon dioxide (CO2). Extinguishing media which must not be used for safety reasons: None in particular.

5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases. Burning produces heavy smoke.

5.3. Advice for firefighters

Use suitable breathing apparatus . Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment. Remove persons to safety. See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Retain contaminated washing water and dispose it. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities. Suitable material for taking up: absorbing material, organic, sand

6.3. Methods and material for containment and cleaning up



Rapidly recover the product. To do so, wear a mask and protective clothing. Wash with plenty of water.

6.4. Reference to other sections

See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists. Don't use empty container before they have been cleaned. Before making transfer operations, assure that there aren't any incompatible material residuals in the containers. Contamined clothing should be changed before entering eating areas. Do not eat or drink while working. See also section 8 for recommended protective equipment.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed. Incompatible materials: None in particular. Instructions as regards storage premises: Adequately ventilated premises.

7.3. Specific end use(s)

None in particular

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No occupational exposure limit available DNEL Exposure Limit Values Not available PNEC Exposure Limit Values Not available

8.2. Exposure controls

Eye protection:

Use close fitting safety goggles, don't use eye lens.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

Respiratory protection:

Use adequate protective respiratory equipment.

- Thermal Hazards:
 - None
- Environmental exposure controls:

None

Appropriate engineering controls:

None



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:
Appearance and colour:	Liquid		
Odour:	light		
Odour threshold:	Not available		
pH:	7,8		
Melting point / freezing	Not available		
point:			
Initial boiling point and	Not available		
boiling range:			
Flash point:	Not available		
Evaporation rate:	Not available		
Solid/gas flammability:	Not available		
Upper/lower flammability	Not available		
or explosive limits:			
Vapour pressure:	Not available		
Vapour density:	Not available		
Relative density:	1.00		
Solubility in water:	Not available		
Solubility in oil:	Not available		
Partition coefficient	Not available		
(n-octanol/water):			
Auto-ignition temperature:	Not available		
Decomposition	Not available		
temperature:			
Viscosity:	Not available		
Explosive properties:	Not available		
Oxidizing properties:	Not available		

9.2. Other information

Properties	Value	Method:	Notes:
Miscibility:	Not available		
Fat Solubility:	Not available		
Conductivity:	Not available		
Substance Groups	Not available		
relevant properties			

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions

10.2. Chemical stability

Stable under normal conditions

10.3. Possibility of hazardous reactions None



- **10.4. Conditions to avoid** Stable under normal conditions.
- **10.5. Incompatible materials** None in particular.
- **10.6. Hazardous decomposition products** None.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological information of the product:

- Not available
- Toxicological information of the main substances found in the product:
 - Not available

If not differently specified, the information required in Regulation (EU)2015/830 listed below must be considered as N.A.:

- a) acute toxicity;
- b) skin corrosion/irritation;
- c) serious eye damage/irritation;
- d) respiratory or skin sensitisation;
- e) germ cell mutagenicity;
- f) carcinogenicity;
- g) reproductive toxicity;
- h) STOT-single exposure;
- i) STOT-repeated exposure;
- j) aspiration hazard.

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment. Chlorures d'alkyl (C12-C16) dimethylbenzylammonium - CAS: 68424-85-1 a) Aquatic acute toxicity:

- Endpoint: EC50 Daphnia magna = 0.016 mg/L Duration h: 48
- Endpoint: EC50 Algae = 0.026 mg/L Duration h: 72
- Endpoint: LC50 Onchorhynchus mykiss = 0.85 mg/L Duration h: 96

12.2. Persistence and degradability

Not available

12.3. Bioaccumulative potential

Not available

12.4. Mobility in soil

Not available

12.5. Results of PBT and vPvB assessment

vPvB Substances: None - PBT Substances: None



12.6. Other adverse effects

None

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

SECTION 14: Transport information

14.1. UN number ADR-UN number:	UN3082
14.2. UN proper shipping name ADR-Shipping Name:	Environmentally hazardous substance liquid, NSA (Chlorures d'alkyl (C12-C16) dimethylbenzylammonium),
14.3. Transport hazard class(es) ADR-Class:	9
14.4. Packing group ADR-Packing Group:	III
14.5. Environmental hazards	
14.6. Special precautions for user	

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code Not available

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 98/24/EC (Risks related to chemical agents at work) Dir. 2000/39/EC (Occupational exposure limit values) Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP) Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013 Regulation (EU) 2015/830 Regulation (EU) n. 286/2011 (ATP 2 CLP) Regulation (EU) n. 618/2012 (ATP 3 CLP) Regulation (EU) n. 487/2013 (ATP 4 CLP) Regulation (EU) n. 944/2013 (ATP 5 CLP) Regulation (EU) n. 605/2014 (ATP 6 CLP) Regulation (EU) n. 2015/1221 (ATP 7 CLP) Regulation (EU) n. 2016/918 (ATP 8 CLP) Regulation (EU) n. 2016/1179 (ATP 9 CLP) Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications: Restrictions related to the product: **Restriction 3**



Restrictions related to the substances contained: No restriction. Where applicable, refer to the following regulatory provisions : Directive 2012/18/EU (Seveso III) Regulation (EC) nr 648/2004 (detergents). Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III): Seveso III category according to Annex 1, part 1 Product belongs to category: E1

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture.

SECTION 16: Other information

Full text of phrases referred to in Section 3:

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Hazard class and hazard category	Code	Description
Acute Tox. 4	3.1/4/Oral	Acute toxicity (oral), Category 4
Skin Corr. 1A	3.2/1A	Skin corrosion, Category 1A
Eye Dam. 1	3.3/1	Serious eye damage, Category 1
Aquatic Acute 1	4.1/A1	Acute aquatic hazard, category 1
Aquatic Chronic 1	4.1/C1	Chronic (long term) aquatic hazard, category 1

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
Skin Corr. 1A, H314	Calculation method
Eye Dam. 1, H318	Calculation method
Aquatic Acute 1, H400	Calculation method
Aquatic Chronic 1, H410	Calculation method

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the duty of the user to ensure that this information is appropriate and complete with respect to

the specific use intended.

This MSDS cancels and replaces any preceding release.



ADR:	European Agreement concerning the International Carriage of
	Dangerous Goods by Road.
CAS:	Chemical Abstracts Service (division of the American Chemical
	Society).
CLP:	Classification, Labeling, Packaging.
CSR:	Chemical safety report
DNEL:	Derived No Effect Level.
EC50:	
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of
	Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport
1040	Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization"
IMDG:	(ICAO). International Maritima Code for Dengarous Coode
INCI:	International Maritime Code for Dangerous Goods. International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
N.A.:	Not available
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods
	by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
UN:	United Nations
WGK:	German Water Hazard Class.