

# SAFETY DATA SHEET

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

MuCulloch 2-Stroke Oil Low Smoke

of the mixture

Registration number -

Synonyms None.

Product code 577 61 64-02 (1L), 577 61 64-07 (0,1L), 531 02 48-02 (1L), 531 02 48-07 (0.1L), 577 61 64-07

(0,1L)

Issue date 28-May-2015

Version number 01
Revision date Supersedes date -

1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** Lubrication of 2-stroke engine.

**Uses advised against**Use in accordance with supplier's recommendations.

1.3. Details of the supplier of the safety data sheet

Manufacturer/SupplierHusqvarna ABAddressDrottninggatan 2Telephone+46 (0)36-14 65 00Contact personAccessory DepartmentE-mailsds.info@husqvarna.se

1.4. Emergency telephone

+1-760-476-3961 (Access code 333721)

number

#### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

## Classification according to Directive 67/548/EEC or 1999/45/EC as amended

This preparation is not classified as dangerous according to Directive 1999/45/EC and its amendments.

# Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

**Hazard summary** 

Physical hazards Not classified for physical hazards.

Health hazards Not classified for health hazards.

**Environmental hazards** Not classified for hazards to the environment.

**Specific hazards** Direct contact with eyes may cause temporary irritation. May form vapours or oil mists during

mechanical action or at elevated temperatures which may be irritating to respiratory tract. Prolonged exposure to oil mist may cause pulmonary disease such as chronic inflammation. Prolonged and repeated contact with used oil may cause serious skin diseases, such as

dermatitis and skin cancer.

Main symptoms May cause eye irritation on direct contact. Defatting of the skin. Dermatitis. Ingestion may cause

irritation and malaise. In high concentrations, mists/vapors may irritate throat and respiratory

system and cause coughing.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Hazard pictograms None.

Signal word None.

Hazard statements None.

**Precautionary statements** 

PreventionNot assigned.ResponseNot assigned.StorageNot assigned.

MuCulloch 2-Stroke Oil Low Smoke

SDS UK

Disposal Not assigned.

EUH210 - Safety data sheet available on request. Supplemental label information

2.3. Other hazards Not a PBT or vPvB substance or mixture.

## SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

**General information** 

Chemical name		%	CAS-No. / EC No.	REACH Registration No.	INDEX No.	Notes
Distillates (petroleum), solvent-dewaxed heavy paraffinic		>=50 - <75	64742-65-0 265-169-7	-	649-474-00-6	
Classification:	DSD: -					L
	CLP: -					L
Naphtha (petroleum), hydrotreated heavy		>=10 - <20	- 918-481-9	-	649-327-00-6	
Classification:	DSD: R	66				
	CLP: As	sp. Tox. 1;H304	1			
Polyolefin polyamine su	ıccinimide	< 25	-	-	-	
Classification:	DSD: R	53	-			
	CLP: A	quatic Chronic	4;H413			

#### List of abbreviations and symbols that may be used above

CLP: Regulation No. 1272/2008. DSD: Directive 67/548/EEC.

#: This substance has been assigned Community workplace exposure limit(s).

Composition comments

The full text for all R- and H-phrases is displayed in section 16. All concentrations are in percent by

weight unless ingredient is a gas. Gas concentrations are in percent by volume.

IP346 method DMSO extract for base oil substances: <3.0%.

# **SECTION 4: First aid measures**

**General information** Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

4.1. Description of first aid measures

Inhalation Move to fresh air. If breathing is difficult, give oxygen. Call a physician if symptoms develop or

Skin contact Wash with soap and water. In case of rashes, wounds or other skin disorders: Seek medical

attention and bring along these instructions. If high pressure injection under the skin occurs,

always seek medical attention.

Flush eyes immediately with large amounts of water. Remove any contact lenses and open eyelids Eye contact

wide apart. Get medical attention if irritation develops and persists.

Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. If Ingestion

vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Get immediate

medical attention.

4.2. Most important symptoms and effects, both acute and

delayed

May cause eve irritation on direct contact. Defatting of the skin, Dermatitis, Ingestion may cause irritation and malaise. In high concentrations, mists/vapors may irritate throat and respiratory

system and cause coughing.

4.3. Indication of any immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Droplets of the product aspirated into the lungs through ingestion or vomiting may cause a serious chemical pneumonia. Symptoms may be delayed. HIGH PRESSURE SKIN INJECTION: Physician must be familiar with local procedures for treatment of this type of wound; incision, irrigation, removal of all necrotic tissue and open wound dressing.

## **SECTION 5: Firefighting measures**

General fire hazards Heating will generate vapours which may form explosive vapour/air mixtures. Material will float and

can be re-ignited on surface of water.

5.1. Extinguishing media

Suitable extinguishing Foam. Dry powder. Carbon dioxide (CO2). Water fog.

media

MuCulloch 2-Stroke Oil Low Smoke

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture By heating and fire, irritating vapours/gases may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Selection of respiratory protection for firefighting: follow the general fire precautions indicated in the workplace.

Special fire fighting procedures

Move container from fire area if it can be done without risk. Use water spray to cool unopened containers. Cool containers exposed to flames with water until well after the fire is out.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). In case of spills, beware of slippery floors and surfaces. Wear protective clothing as described in section 8 of this safety data sheet.

For emergency responders

Wear protective clothing as described in Section 8 of this safety data sheet.

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not allow to enter drains, sewers or watercourses. Environmental manager must be informed of all major releases.

6.3. Methods and material for containment and cleaning up

Remove sources of ignition. Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible.

Large Spills: Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Wash area with soap and water.

Small Spills: Wipe up spilled material and place in a suitable container for disposal. Clean surface thoroughly to remove residual contamination.

Never return spills in original containers for re-use.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

# **SECTION 7: Handling and storage**

7.1. Precautions for safe handling

Use only in well-ventilated areas. Avoid inhalation of oil mist and contact with skin and eyes. Wear protective clothing as described in Section 8 of this safety data sheet. Do not eat, drink or smoke when using the product. Be aware of potential for surfaces to become slippery. Observe good industrial hygiene practices. "Empty" containers retain product residue (liquid or vapour) and can be dangerous. Do not cut or weld on empty drums unless they are thoroughly cleaned.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from ignition, flame and heat sources. Store in a cool, dry, well-ventilated place. Store away from incompatible materials. Incompatible materials: Strong oxidising agents.

Lubrication of 2-stroke engine. 7.3. Specific end use(s)

#### SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits No exposure limits noted for ingredient(s).

**Biological limit values** No biological exposure limits noted for the ingredient(s).

**Recommended monitoring** 

procedures

Follow standard monitoring procedures.

Derived no-effect level (DNEL) Not available.

Predicted no effect concentrations (PNECs) Not available.

8.2. Exposure controls

Appropriate engineering controls

Provide adequate ventilation and minimise the risk of inhalation of vapours and oil mist. Use explosion-proof equipment. Provide easy access to water supply and eye wash facilities.

#### Individual protection measures, such as personal protective equipment

Personal protective equipment should be chosen according to the CEN standards and in **General information** 

discussion with the supplier of the personal protective equipment.

Eye/face protection

Skin protection

Wear safety glasses with side shields (or goggles).

- Hand protection Wear protective gloves. Nitrile gloves are recommended, but be aware that the liquid may

penetrate the gloves. Frequent change is advisable. Suitable gloves can be recommended by the

glove supplier.

MuCulloch 2-Stroke Oil Low Smoke 924422 Version #: 01 Revision date: -Issue date: 28-May-2015 - Other Wear appropriate clothing to prevent repeated or prolonged skin contact.

In case of inadequate ventilation or risk of inhalation of oil mist, suitable respiratory equipment with Respiratory protection

combination filter (type A2/P2) can be used. Wear air-supplied mask in confined areas. Seek

advice from local supervisor.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Always observe good personal hygiene measures, such as washing after handling the material Hygiene measures

> and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. When using, do not eat, drink or smoke. Launder contaminated clothing before reuse. Private clothes and working clothes should be kept

**Environmental exposure** 

controls

Environmental manager must be informed of all major spillages.

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Blue liquid. **Appearance** Physical state Liquid. **Form** Liquid. Colour Blue. Odour Slight.

**Odour threshold** Not available.

pН

Melting point/freezing point -39 °C (-38.2 °F) > 300 °C (> 572 °F) Initial boiling point and boiling

range

> 70.0 °C (> 158.0 °F) Pensky-Martens Closed Cup (ASTM D 93) Flash point

Not available. **Evaporation rate** Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

< 0.01 kPa (20 °C) Vapour pressure Not available. Vapour density Relative density 0.872 (Water = 1) Solubility(ies) Insoluble in water. **Partition coefficient** Not available.

(n-octanol/water)

> 300 °C (> 572 °F) **Auto-ignition temperature** > 300 °C (> 572 °F) **Decomposition temperature Viscosity** 8.5 cSt (100 °C (212 °F)) 53 cSt (40 °C (104 °F))

Not available.

**Explosive properties** Oxidizing properties Not oxidizing.

No relevant additional information available. 9.2. Other information

## SECTION 10: Stability and reactivity

10.1. Reactivity The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability Material is stable under normal conditions. 10.3. Possibility of hazardous Hazardous polymerisation does not occur.

reactions 10.4. Conditions to avoid

Heat, sparks, flames, elevated temperatures. Contact with incompatible materials.

SDS UK

10.5. Incompatible materials Strong oxidising agents.

10.6. Hazardous By heating and fire, irritating vapours/gases may be formed. Carbon oxides. Nitrogen oxides. Sulphur oxides. decomposition products

## **SECTION 11: Toxicological information**

**General information** Occupational exposure to the substance or mixture may cause adverse effects.

MuCulloch 2-Stroke Oil Low Smoke

#### Information on likely routes of exposure

**Inhalation** Inhalation of oil mist or vapours formed during heating of the product will irritate the respiratory

system and provoke coughing.

**Skin contact** Prolonged or repeated contact may dry skin and cause dermatitis.

**Eye contact** Direct contact with eyes may cause temporary irritation.

Ingestion Ingestion may cause irritation and malaise. Ingestion may result in vomiting; aspiration (breathing)

of vomitus into lungs must be avoided as even small quantities may result in aspiration

pneumonitis.

**Symptoms** May cause eye irritation on direct contact. Defatting of the skin. Dermatitis. Ingestion may cause

irritation and malaise. In high concentrations, mists/vapors may irritate throat and respiratory

system and cause coughing.

#### 11.1. Information on toxicological effects

Acute toxicity May irritate and cause stomach pain, vomiting, diarrhoea and nausea. Human evidence indicates

that the product has very low acute oral, dermal or inhalation toxicity. However, it can produce severe injury if taken into the lung as a liquid, and there may be profound central nervous system

Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.

depression following prolonged exposure to high levels of vapour.

Skin corrosion/irritation

Serious eye damage/eye

irritation

Direct contact with eyes may cause temporary irritation.

Respiratory sensitisation No data available.

Skin sensitisation No data available.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity Not classified.

Reproductive toxicity No data available.

Specific target organ toxicity -

single exposure

High concentrations: May cause respiratory irritation.

Specific target organ toxicity -

repeated exposure

No data available.

Aspiration hazard Not classified, however droplets of the product may be aspirated into the lungs through ingestion

or vomiting and may cause a serious chemical pneumonia.

Mixture versus substance

information

Not available.

Other information Prolonged and repeated contact with used oil may cause serious skin diseases, such as

dermatitis and skin cancer.

# **SECTION 12: Ecological information**

**12.1. Toxicity** The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

12.2. Persistence and

degradability

Expected to biodegrade slowly.

12.3. Bioaccumulative potential The product contains potentially bioaccumulating substances.

Partition coefficient

n-octanol/water (log Kow)

Not available.

Bioconcentration factor (BCF) Not available.

12.4. Mobility in soil Not available.

Mobility in general The product is insoluble in water. It will spread on the water surface while some of the components

will eventually sediment in water systems. The volatile components of the product will spread in the

atmosphere.

12.5. Results of PBT

and vPvB assessment

Not a PBT or vPvB substance or mixture.

**12.6. Other adverse effects** Oil spills are generally hazardous to the environment.

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

MuCulloch 2-Stroke Oil Low Smoke

**Residual waste** Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

924422 Version #: 01 Revision date: - Issue date: 28-May-2015

**EU** waste code The Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Disposal methods/information Dispose in accordance with all applicable regulations. This material and/or its container must be

disposed of as hazardous waste.

## **SECTION 14: Transport information**

**ADR** 

Not regulated as dangerous goods.

**RID** 

Not regulated as dangerous goods.

ADN

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Not applicable.

# **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU regulations**

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 1 as amended

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 2 as amended Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 3 as amended Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

#### **Authorisations**

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed

#### Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended

Not listed.

Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding, as amended

Not listed.

#### Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances

Issue date: 28-May-2015

Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Directive 94/33/EC on the protection of young people at work

Not listed.

Other regulations The product is classified and labelled in accordance with EC directives or respective national laws. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006.

National regulations 15.2. Chemical safety assessment Follow national regulation for work with chemical agents. No Chemical Safety Assessment has been carried out.

#### **SECTION 16: Other information**

List of abbreviations

References

DNEL: Derived No-Effect Level.

PNEC: Predicted No-Effect Concentration.
PBT: Persistent, bioaccumulative and toxic.
vPvB: Very Persistent and very Bioaccumulative.
HSDB® - Hazardous Substances Data Bank

Registry of Toxic Effects of Chemical Substances (RTECS) ESIS (European chemical Substances Information System)

Information on evaluation method leading to the classification of mixture

The mixture is classified based on test data for physical hazards. The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if

available. For details, refer to Sections 9, 11 and 12.

Full text of any statements or R-phrases and H-statements under Sections 2 to 15

R53 May cause long-term adverse effects in the aquatic environment.

R66 Repeated exposure may cause skin dryness or cracking.

H304 May be fatal if swallowed and enters airways.

 $\ensuremath{\mathsf{H413}}$  May cause long lasting harmful effects to aquatic life.

**Training information** Follow training instructions when handling this material.

**Disclaimer** The information in the sheet was written based on the best knowledge and experience currently

available.

924422 Version #: 01 Revision date: - Issue date: 28-May-2015

SDS UK

7/7