

| Prepa | ared to OSHA, ACC | C, ANSI, NOHSC, V | WHMIS & 2001/58 EC Sta | andards | MSDS Revision: 1.1 | MSD | S Revision Date: 0 | 7/17/2013 |
|-------|--|---|--|--|---|----------------|---------------------|----------------|
| | | | | | | | | |
| 1.1 | Product Name: | | 1. PRODU | | NTIFICATION | | | |
| 1.1 | | ASH & PRC | TECT PET STAI | IN & OE | DOUR | | | |
| 1.2 | Chemical Name: NA | | | | | | | |
| 1.3 | Synonyms: BISSELL Wash & | Protect Pet Stair | n & Odour (1087E) | | | | | |
| 1.4 | Trade Names: BISSELL Wash 8 | Protect Pet Stai | n & Odour | | | | | |
| 1.5 | Product Use: Carpet and Fabri | c Cleaner | | | | | | |
| 1.6 | Distributor's Name: BISSELL Homeca | are, Inc. | | | | | | |
| 1.7 | Distributor's Address: P.O. Box 1888, G | rand Rapids, MI 4 | 9501 USA | | | | | |
| 1.8 | Emergency Phone: PROSAR Produc | t Safety +1 (866) | 303-6951 or CHEMTREC | C +1 (703) 5 | 527-3887 / +1 (800) 424- | 9300 CCN 28 | 08 | |
| 1.9 | Business Phone / Fax: Tel: +1 (616) 453- | | | | | | | |
| | | | | | | | | |
| 2.1 | Hazard Identification: | | 2. HAZAR | | NTIFICATION | | | |
| | NOHSC:1088 (20 | 04) and ADG Coo al poison contro | a HAZARDOUS SUBST de (Australia). In the eve of center, who may see act with eyes. | ent of an ex | xposure or medical inc | uiry involvin | g this product, pl | ease contact a |
| 2.2 | Routes of Entry: | | Inhalation: | YES | Absorption: | NO | Ingestion: | YES |
| 2.3 | Effects of Exposure: INGESTION: EYES: SKIN: INHALATION: Symptoms of Overexpos | This product ca This product ca Exposure may sure: | o significant adverse he an cause mild to modera an cause mild, transient cause respiratory tract i | ate eye irrit skin irritat irritation in | ation with short-term of ion with short-term exp some sensitive individ | ontact with li | | |
| | INGESTION: EYES: | | al discomfort, nausea, vo te irritation, redness, an | | | | | |
| | SKIN: | Contact derma | titis, (rash), characterize | ed by red, d | Iry, itching skin. | | | |
| 2.5 | INHALATION: Acute Health Effects: | Vapors may be | irritating to nose, throat | t and respi | ratory tact | | | |
| 2.5 | INGESTION: | | al irritation, nausea, and monitis, which can be fa | | and diarrhea. Aspir | ation of mate | erial into the lung | gs may cause |
| | EYES: | | ation, redness and tearing | 0 | t down officia (la coline d | | - | |
| | SKIN: INHALATION: | • | epeated contact may cat e may cause respiratory | | • | | 511). | |
| 2.6 | Chronic Health Effects: None reported by | · · · | | | | | | |
| 2.7 | Target Organs: None reported by | y the manufacture | er. | | | | | |
| 2.8 | Toxicological Properties None reported by | | er. | | | | | |
| I | | | | | | | | |
| | | | = Not Established; NF = No uded. It is located in appro | | - | | | erms Used |



Page 2 of 7 BHI-094-800

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards

MSDS Revision: 1.1

| | | 3. COI | MPOSITIO | N & INGR | EDIEN | IT IN | FOR | MAT | ION | | | | | |
|------|--|----------------|-----------------|----------------|--------|-------|------|------------|---|-------------|-------------|---------|------|---------------------------|
| | | | | | | | | EXPC | SURE | LIMITS | S IN AII | R (mg/ı | n³) | |
| | | | | | | ACGIH | | NOHSC | | ; | OSHA | | | |
| | | | | | | р | pm | | ppm | | | ppm | | OTHER |
| CHEN | IICAL NAME(S) | CAS No. | RTECS No. | EINECS No. | % | TLV | STEL | ES- TWA | ES- STEL | ES- PEAK | TLV | STEL | IDLH | Classification 67/548/EEC |
| WATE | R | 7732-18-5 | ZC0110000 | 231-191-2 | ≤ 90.0 | NE | NE | NF | NF | NF | NE | NE | NE | |
| ETHO | PHOLS, C₀-C₁₀, PXYLATED POXYLATED | 68987-81-5 | AL1007597 | NA | ≤ 3.0 | NE | NE | NF | NF | NF | NE | NE | NE | Xi; R41 |
| | NIC POLYMER - PRIETARY BLEND | NA | NA | NA | ≤ 3.0 | NA | NA | NF | NF | NF | NA | NA | NA | |
| | TANESULFONICACID, UM SALT | 5324-84-5 | NA | 226-195-4 | ≤ 3.0 | NE | NE | NF | NF | NF | NE | NE | NE | Xi; R41 |
| | UM ACRYLATE DLYMER | NA | NA | NA | ≤ 3.0 | NA | NA | NF | NF | NF | NA | NA | NA | Xi; R36 |
| ALCC | HOL ETHOXYLATE | NA | NA | NA | ≤ 1.0 | NA | NA | NF | NF | NF | NA | NA | NA | Xi; R41 |
| FRAG | RANCE | NA | NA | NA | < 0.2 | NA | NA | NF | NF | NF | NA | NA | NA | Xi; R41 |
| | | | | | | | | | | | | | | |
| | | | 4. FI | RST AID I | MEAS | URE | S | | | | | | | |
| 4.2 | INGESTION: DO NOT INDUCE VOMITING. Contact PROSAR Product Safety Information Service at +1 (866) 303-6951 or the nearest Poison Control Center or local emergency telephone number for assistance and instructions. Seek immediate medical attention. If vomiting occurs spontaneously, keep victim's head lowered (forward) to reduce the risk of aspiration. EYES: Flush eyes thoroughly with copious amounts of water for at least 15 minutes, holding eyelid(s) open to ensure complete flushing. If irritation persists, seek immediate medical attention. SKIN: Remove contaminated clothing and wash affected areas with soap and water. If irritation persists, seek prompt medical attention. Do not wear contaminated clothing until after it has been properly cleaned. INHALATION: Remove victim to fresh air at once. If breathing is difficult, administer supplemental oxygen and seek immediate medical attention. 4.2 Medical Conditions Aggravated by Exposure: Persons with pre-existing skin disorders, eye problems, or impaired kidney function may be more susceptible to the effects of the substance. | | | | | | | | medical ion. o ensure c prompt nmediate | | | | | |
| | | | | | | | | | | | | | | |
| | | | 5. FIRE | FIGHTIN | G MEA | SUF | RES | | | | | | | |
| 5.1 | Flashpoint & Method: ND | | | | | | | | | | | | | |
| 5.2 | Autoignition Temperature: | | | | | | | | | | | | | |
| 5.3 | Flammability Limits: | | Lower Explosive | Limit (LEL): N | D | | | Upper Ex | cplosive L | imit (UEL |): N | D | | |
| 5.4 | Fire & Explosion Hazards: None | | | l | | | | | | | | | | |
| 5.5 | | r Dry Chemical | | | | | | | | | | | | |
| 5.6 | Foam, CO₂, Water Fog or Dry Chemical 5.6 Firefighting Procedures: Fight fires as for surrounding materials. Firefighters should wear a MSHA/NIOSH approved or equivalent self contained breathing apparatus (SCBA) and protective clothing. Fire should be fought from a safe distance. Keep containers cool until well after the fire is out. Cool containers with water spray to prevent pressure build-up, auto-ignition or explosion. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. | | | | | | | | | | | | | |



Page 3 of 7 BHI-094-800

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards

MSDS Revision: 1.1

| | | 6. ACCIDENTAL RELEASE MEASUR | RES | | | | | | |
|------|--|---|---------------|-----------------|-------------|----------|-----------|--|--|
| 6.1 | Spills: Small Spills: Absorb and wipe up or rinse away with water. Large Spills: Contain spilled product with sand or other absorbent material. Place in an appropriate container for disposal. Wash spilled area with water. Spilled product may produce a slip hazard. Before cleaning any spill, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment including gloves, glasses and NIOSH approved (or equivalent) dust respirator. Wash all affected areas. Remove any contaminated clothing and wash thoroughly before eating. | | | | | | | | |
| | | | | | | | | | |
| | | 7. HANDLING & STORAGE INFORMA | TION | | | | | | |
| 7.1 | Work & Hygiene Practices: Use normal hygiene practices. Avoid direct skin contact. Wash hands thoroughly after using this product and before eating, drinking, or smoking. Good personal hygiene practices, such as washing any skin contact areas and removing contaminated clothing, are recommended. | | | | | | | | |
| 7.2 | Storage & Handling: Keep away from sources of heat. | | | | | | | | |
| 7.3 | Special Precautions: Follow all instructions on product label. Keep container closed when not in use. Keep this and all chemicals out of reach of children. | | | | | | | | |
| | | 8. EXPOSURE CONTROLS & PERSONAL PE | ROTECT | ION | | | | | |
| 8.1 | Ventilation & Engineering Con | ^{trols:} ormal conditions of use. Use with adequate ventilation (e.g., open d | oors and wir | ndows local e | yhaust ver | ntilatio |)) | | |
| 8.2 | Respiratory Protection: | | | | | linatio | <u>,.</u> | | |
| 8.3 | | ormal conditions of use. | | | | | | | |
| 0.3 | | conditions of use; however, protective eyewear that conforms to Al a used when handling any chemical product and is recommended. | NSI Z87.1 (o | r other applica | able and a | pprop | riate | | |
| 8.4 | | ormal conditions of use. Use gloves constructed of chemical resista prolonged contact is expected. | ant materials | s such as neop | prene or he | eavy ni | itrile | | |
| 8.5 | Body Protection: | | HEALTH | | | | 1 | | |
| | | normal conditions of use. Use appropriate protective equipment | FLAMM | | | | 0 | | |
| | (e.g., apron) as nec contact is expected. | essary to prevent or reduce exposure if frequent or prolonged | | | 20 | | - | | |
| | contact is expected. | | | AL HAZARI | | | 0 | | |
| | | | SPECIA | L EQUIPME | NT | | Α | | |
| | | | EYES | | | | | | |
| | | | | 1 | | 1 | | | |
| | | 9. PHYSICAL & CHEMICAL PROPER | TIES | | | | | | |
| 9.1 | Density: | | IIE3 | | | | | | |
| 9.2 | Boiling Point: | 1.028 – 1.038 @ 25⁰C (77⁰F) 100ºC (212ºF) @ 760 mm Hg | | | | | | | |
| 9.3 | Melting Point: | NA | | | | | | | |
| 9.4 | Evaporation Rate: | NA | | | | | | | |
| 9.5 | Vapor Pressure: | NA | | | | | | | |
| 9.6 | Molecular Weight: | NA | | | | | | | |
| 9.7 | Appearance & Color: | Clear to light straw colored liquid | | | | | | | |
| 9.8 | Odour Threshold: | Fresh citrus scent | | | | | | | |
| 9.9 | Solubility: | Complete | | | | | | | |
| 9.10 | рН | 9.4 ± 0.4 @ 25°C (77°F) | | | | | | | |
| 9.11 | Viscosity: | NA | | | | | | | |
| 9.12 | Other Information: | VOC Content: 0.0% | | | | | | | |
| | 1 | | | | | | | | |



Page 4 of 7 BHI-094-800

| rep | ared to OSHA, ACC, ANSI, NOHSC | C, WHMIS & 2001/58 EC Standards | MSDS Revision: 1.1 | MSDS Revision Date: 07/17/2013 | | | | |
|------|--|--|------------------------------|--|--|--|--|--|
| | | 10. STABILITY 8 | | | | | | |
| 0.1 | Stability: | | | | | | | |
| | Stable under normal conditions | s of use. | | | | | | |
| 0.2 | Hazardous Decomposition Products: None known. | | | | | | | |
| 0.3 | Hazardous Polymerization: | | | | | | | |
| | Will not occur. | | | | | | | |
| 10.4 | Conditions to Avoid: Strong oxidizers. | | | | | | | |
| 10.5 | Incompatible Substances: | | | | | | | |
| | Strong oxidizing agents, strong | acids and bases. | | | | | | |
| | | 11. TOXICOLOGICA | L INFORMATION | | | | | |
| 11.1 | Toxicity Data: | | | | | | | |
| | <u>Mixture</u> : LD₅₀ (oral, rat) > 5 g/kg Federal Hazardous Substances | g, LC ₅₀ (Innalation, rat) > 20 mg/L-1 Act (FHSA) regulations. | nr. This product is an eye | irritant but not a primary skin irritant p | | | | |
| 11.2 | Acute Toxicity: | | | | | | | |
| | See section 2.5 | | | | | | | |
| 11.3 | Chronic Toxicity: See section 2.6 | | | | | | | |
| 11.4 | Suspected Carcinogen: | | | | | | | |
| | No. | | | | | | | |
| 11.5 | Reproductive Toxicity: This product is not reported to | produce reproductive toxicity in hu | mans. | | | | | |
| | Mutagenicity: | This product is not reported to pro- | | humans. | | | | |
| | Embryotoxicity: | This product is not reported to pro | - | | | | | |
| | Teratogenicity: | This product is not reported to pro- | oduce teratogenic effects in | humans. | | | | |
| | Reproductive Toxicity: | This product is not reported to pro- | oduce reproductive effects | in humans. | | | | |
| 11.6 | Irritancy of Product: See section 2.3 | | | | | | | |
| 11.7 | Biological Exposure Indices: | | | | | | | |
| | ND | | | | | | | |
| 11.8 | Physician Recommendations: Treat symptomatically. | | | | | | | |
| | | | | | | | | |
| | | 12. ECOLOGICAL | | | | | | |
| 12.1 | Environmental Stability: | 12. LCOLOGICAL | | | | | | |
| 1 | NA | | | | | | | |
| 12.2 | Effect on Plants & Animals: NA | | | | | | | |
| 12.3 | Effect on Aquatic Life: Product is expected to rapidly of | lisperse in the aquatic environment | | | | | | |
| | | 13. DISPOSAL CO | NSIDERATIONS | | | | | |
| 13.1 | Waste Disposal: | indoral state & provincial horardow | o wasta lawa | | | | | |
| 13.2 | Special Considerations: | ederal, state & provincial hazardous | s waste laws. | | | | | |
| | NA | | | | | | | |



Page 5 of 7 BHI-094-800

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards

MSDS Revision: 1.1

| | 14. TRANSPORTATION INFORMATION | |
|--------|--|----------------------------|
| The ba | sic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information CAO, IMDG, TDGR, SCT and ADGR. | may be required by 49 CFR, |
| 14.1 | 49 CFR (GND): | |
| 14.2 | NOT REGULATED | |
| 14.2 | | |
| 14.3 | IMDG (OCN): NOT REGULATED | |
| 14.4 | TDGR (Canadian GND): NOT REGULATED | |
| 14.5 | ADR/RID (EU): | |
| | NOT REGULATED | |
| 14.6 | MEXICO (SCT): NOT REGULATED | |
| 14.7 | ADGR (AUS): NOT REGULATED | |
| | | |
| | 15. REGULATORY INFORMATION | |
| 15.1 | U.S. EPA SARA Reporting Requirements: This product does not contain any substances subject to the reporting requirements of Section 313 of SARA Title III of | or 40 CFR Part 373. |
| 15.2 | U.S. EPA SARA Threshold Planning Quantity: NA | |
| 15.3 | U.S. EPA TSCA Inventory Status: | |
| | All chemical substances of this product are listed on the TSCA inventory or are otherwise exempt from inventory stat | us. |
| 15.4 | U.S. EPA CERCLA Reportable Quantity (RQ): | |
| 15.5 | Other U.S. Federal Requirements: | |
| | This material does not contain any hazardous air pollutants. None of the components in this product are listed a under the CWA. None of the components in this product are listed as toxic pollutants under the CWA. | s priority pollutants |
| 15.6 | Other Regulations Class D2B (other toxic effects - for surfactants). This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components in this product are listed on the Priorities Substances List. | Ē |
| 15.7 | U.S. State Regulatory Information: None of the components in this product are found on any state criteria lists. None of the components in this product California Prop 65 lists. | uct are listed on the |
| 15.8 | 67/548/EEC (European Union) and Australia NOHSC:2011 (2003) Requirements: None of the components in this product are listed in Annex I of EU Directive 67/548/EEC. | |
| | Irritant (Xi): | |
| | Risk Phrases (R): 36 – Irritating to eyes. | |
| | Safety Phrases (S): 2-9-25-26 - Keep out of reach of children. Keep container in well-ventilated place. Avoid contact | |
| | with eyes. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. | |
| | HazChem Code: None. | |
| | Poisons Schedule Number: None Allocated. | |



Page 6 of 7 BHI-094-800

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards

MSDS Revision: 1.1

| | 16. OTHER INFORMATION | | | | | | |
|------|---|--|--|--|--|--|--|
| 16.1 | 6.1 Other Information: CAUTION – Avoid contact with eyes - contact with eyes may cause irritation. May be slippery if spilled. | | | | | | |
| 16.2 | 6.2 Terms & Definitions: Please see last page of this MSDS. | | | | | | |
| 16.3 | ³ Disclaimer: This Material Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & BISSELL's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition. | | | | | | |
| 16.4 | Prepared for: BISSELL Homecare, Inc. 2345 Walker Ave NW P.O. Box 1888 Grand Rapids, MI 49544 USA Tel: +1 (616) 453-4451 Fax: +1 (616) 453-1383 http://www.bissell.com/ | | | | | | |



Page 7 of 7 BHI-094-800

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards

ards MSDS Revision: 1.1

MSDS Revision Date: 07/17/2013

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a MSDS. Some of these that are commonly used include the following:

HEALTH FLAMMABILITY

PERSONAL PROTECTION

GENERAL INFORMATION:

CAS No. Chemical Abstract Service Number

EXPOSURE LIMITS IN AIR:

| ACGIH | merican Conference on Governmental Industrial Hygienists | | | | | |
|---------------------------|--|--|--|--|--|--|
| TLV Threshold Limit Value | | | | | | |
| OSHA | U.S. Occupational Safety and Health Administration | | | | | |
| PEL | Permissible Exposure Limit | | | | | |
| IDLH | Immediately Dangerous to Life and Health | | | | | |

FIRST AID MEASURES:

| CPR | Cardiopulmonary resuscitation - method in which a person whose heart has stopped receives manual chest compressions and breathing to circulate blood and provide oxygen to the body. |
|-----|--|
|-----|--|

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS

HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

| 0 | Minimal Hazard |
|---|-----------------|
| 1 | Slight Hazard |
| 2 | Moderate Hazard |
| 3 | Severe Hazard |
| 4 | Extreme Hazard |

PERSONAL PROTECTION RATINGS:

| A | Ś | | | G | S | the second secon | ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~ | |
|---|---|---|------------|---|--------------------|---|---|-----------------------|
| в | Ś | Image: A start of the start of | | н | Ş | Image: A start of the start of | ~ | * |
| с | Ś | Image: A start of the start of | ~ | I | Ś | Alternative | N | |
| D | | and the second s | ~ | J | Ŷ | Image: A start of the start of | | ¥ |
| Е | Ś | Solution | | к | Î | Image: A start of the start of | 1 | L |
| F | Ś | Image: A start of the start of | ~ # | x | Consult for spe | your su cial han | pervisor o dling dire | or S.O.P. ections. |
| | | | | | | | | |



protective equipment is required for high concentrations or for large volume spills or releases of product.

FLAMMABILITY LIMITS IN AIR:


| Autoignition Temperature | Minimum temperature required to initiate combustion in air with no other source of ignition |
|-----------------------------|---|
| LEL | Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source |
| UEL | Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source |

OTHER STANDARD ABBREVIATIONS:

| NA | Not Available |
|------|------------------------------------|
| NR | No Results |
| NE | Not Established |
| NF | Not Found |
| ND | Not Determined |
| ML | Maximum Limit |
| SCBA | Self-Contained Breathing Apparatus |

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA HAZARD RATINGS:

| 0 | Minimal Hazard | | | |
|-----|-----------------|--|--|--|
| 1 | Slight Hazard | | | |
| 2 | Moderate Hazard | | | |
| 3 | Severe Hazard | | | |
| 4 | Extreme Hazard | | | |
| ACD | Acidic | | | |
| ALK | Alkaline | | | |
| COR | Corrosive | | | |
| w | Use No Water | | | |
| OX | Oxidizer | | | |



TOXICOLOGICAL INFORMATION:

| | Lethal Dose (solids & liquids) which kills 50% of the exposed |
|--|---|
| LD ₅₀ | animals s |
| | Lethal concentration (gases) which kills 50% of the exposed |
| LC ₅₀ | |
| - 55 | animal |
| ppm | Concentration expressed in parts of material per million parts |
| TD _{io} | Lowest dose to cause a symptom |
| TCLo | Lowest concentration to cause a symptom |
| TD _{Io} , LD _{Io} , & LD _o or | |
| TC, TC _o , LC _{lo} , & | Lowest dose (or concentration) to cause lethal or toxic effects |
| LC | |
| IARC | International Agency for Research on Cancer |
| NTP | National Toxicology Program |
| RTECS | Registry of Toxic Effects of Chemical Substances |
| BCF | Bioconcentration Factor |
| TL _m | Median threshold limit |
| log K _{ow} or log K _{oc} | Coefficient of Oil/Water Distribution |

REGULATORY INFORMATION:

| CPR | Canada's Controlled Product Regulations |
|-------|---|
| DOT | U.S. Department of Transportation |
| EPA | U.S. Environmental Protection Agency |
| EU | European Union (European Union Directive 67/548/EEC) |
| DSL | Canadian Domestic Substance List |
| MAK | Mandat und die Arbeitsweise der Kommission (Work Area Commission) |
| NDSL | Canadian Non-Domestic Substance List |
| NOHSC | National Occupational Health & Safety Code (Australia) |
| PSL | Canadian Priority Substances List |
| TC | Transport Canada |
| TSCA | U.S. Toxic Substance Control Act |
| WHMIS | Canadian Workplace Hazardous Material Information System |

EC INFORMATION:

| V | | \$ | * | | N | × | × |
|-----------|-----------|-----------|---------|-----------|----------|----------|---------|
| С | Е | F | Ν | 0 | T+ | Xi | Xn |
| Corrosive | Explosive | Flammable | Harmful | Oxidizing | Toxic | Irritant | Harmful |

WHMIS INFORMATION:

| \oslash | ۲ | ۲ | | (Ţ) | ۲ | | |
|------------|-----------|-----------|-------|------------|------------|-----------|----------|
| Α | В | С | D1 | D2 | D3 | E | F |
| Compressed | Flammable | Oxidizing | Toxic | Irritation | Infectious | Corrosive | Reactive |